

2026

DECKING
& RAILING

Trex®

FULL PRODUCT GUIDE



PERFORMANCE-ENGINEERED™
FOR YOUR LIFE OUTDOORS



DREAM HOME

PROUD SPONSOR 2026

Inspired by the natural beauty of Lake Wylie, the HGTV® Dream Home 2026 extends the serenity of its waterfront setting into every outdoor space. With Trex products, the home offers durable beauty that makes lakeside living effortless and inviting.

DECKING

5

	Fire-Resistant Decking	7
	Marine-Grade Decking	9
	SunComfortable™ Technology	11
	Decking Overview	13
	Trex Signature®	15
	Trex Transcend® Lineage®	17
	Trex Transcend®	19
	Trex Select®	21
	Trex Enhance® Naturals	23
	Trex Enhance® Basics	25
	Trex Refuge™	27
	Trex Hideaway® Collection	29
Testimonials	30	

RAILING

31

	Railing Anatomy	33
	Railing Overview	35
	Trex Signature® X-Series™	37
	Trex Signature®	39
	Trex Transcend®	41
	Trex Select™	43
	Trex Enhance™	45

INSPIRATION & PLANNING

	TrexPro® Builders	47
	Online Tools	48
	Outdoor Upgrades	49
	Product Specs	51
	Warranties	65

DECKING:
Trex Transcend®Lineage® in Salt Flat
RAILING:
Trex Signature® X-Series™ Cable Infill

For Your Life Outdoors

Trex is built around a simple idea: outdoor living should be beautiful and easy to maintain. Our composite boards are performance-engineered to take on sun, weather, and everyday use without the upkeep demands of wood.

From small renovations to large-scale builds, professionals rely on Trex for consistent quality and dependable warranties. Our portfolio goes beyond decking, offering railing, shading and privacy, and lifestyle products that bring the same performance and design to every part of your outdoor space. With decades of innovation and industry recognition, Trex remains the trusted choice of professionals and continues to set the standard in composite decking.

Trex - Performance-Engineered for your life outdoors.™



DECKING:
Trex Transcend® Lineage® in Biscayne
RAILING:
Trex Signature® X-Series™ Cable Infill

Sunset IDEAHOUSE PALM SPRINGS

Designed by famed architects Donald Wexler and Lance O'Donnell, this home blends mid-century modern style with innovative sustainability. Trex® decking and railing elevate the outdoor spaces of this desert retreat.



Trex® DECKING



Composite decking designed for
lasting beauty and everyday ease

Durability

Composite deck boards that stand up to both weather and weekend mishaps alike - they won't rot, warp, or splinter, and resist stains.**

Easy Cleanup

Our boards need no sanding or staining. Simple soap and water cleanup keeps decking like new.**

Marine-Grade

Water has met its match. Every Trex composite board is 100% submersible and is trusted across oceans, lakes, and everything in between. More than 2 million sq. ft. of Trex decking has been used in waterfront projects since 2010.

Fire-Resistant




Deck colors with these symbols are part of Trex's collection of decking built to rise to the challenge. Fire-resistant by design and Trex-trusted by name, making them an excellent option for areas prone to wildfires.

SunComfortable™ Technology



Deck colors with this symbol are engineered with heat-mitigating technology to help reduce surface temperatures.*



*Trex SunComfortable™ decking stays cooler than our original boards, but like all decking, it will get hot in direct sun, especially darker colors. Care should be taken to avoid extended contact between exposed skin and the deck surface, especially with young children and those with special needs.

**For details, please see the Care & Cleaning Guide available at [trex.com/care](https://www.trex.com/care) and the Trex Limited Warranties on pages 65-71.

Trusted to Stand Up to the Elements, Even Fire

Like all Trex decking, our fire-resistant collections are engineered with resilience at the core, with options that meet Class A Flame Spread Rating, IWUIC Ignition Resistance, and WUI-approved requirements, so your deck stays strong and beautiful for decades.*

CONFIDENCE WHERE IT MATTERS MOST

Fire-resistant decking that's resilient to the core

Built for Beauty Tested for Fire

Backed by decades of leadership in decking technology. Because peace of mind should come standard with your deck.

Fire-Resistant by Design Trex-Trusted by Name

Our collection of fire-resistant decking is an excellent option for areas prone to wildfires, giving homeowners added confidence when it matters most.

*For full details, see the Trex Limited Warranties on pages 65-71.

DECKING:
Trex Transcend® Lineage® in Salt Flat
RAILING:
Trex Signature® X-Series™ Cable Infill
Trex Signature® X-Series™ Frameless Glass Infill

Designed For Docks

Every Trex board is built with marine-grade strength. Engineered for harsh waterfront conditions with materials that withstand full submersion, salt, and constant moisture.

Less Work More Waterfront

Resists mold, mildew, warping, splintering, rot, and decay. Fade and stain-resistant.*

Made For Builders

Marine-grade decking that works as hard as you do. Product specs are tailored for docks, with full profiles engineered to span up to 24 inches. Less waste. Faster installs. Easy to trust.

Relentless Performance, Effortless Beauty

From Everglades swamp boardwalks to hurricane-tested docks, Trex holds up where others fail. Time-tested and durable, Trex was instrumental in rebuilding 80% of New Jersey's boardwalks after the devastating impact of Hurricane Sandy.

WATER HAS MET ITS MATCH

Marine-grade decking that is 100% submersible, saltwater-safe, and built to last

*For full details, see the Trex Limited Warranties on pages 65-71.

© 2025 Warner Bros. Discovery, Inc. or its subsidiaries and affiliates. All trademarks are the property of their respective owners. All rights reserved.

RAISE THE BAR, NOT THE TEMPERATURE*

*Step onto a deck that redefines outdoor living
with Trex SunComfortable™ Technology*

Heat-Mitigating Technology

Stays cooler* than our
standard composite decking

Thoughtfully- Designed Colors

Finishes engineered to reduce
surface temperatures

Splinter-Free Comfort

Resists cracking, warping,
and splintering**

*Trex SunComfortable™ decking stays cooler than our original boards, but like all decking, it will get hot in direct sun, especially darker colors. Care should be taken to avoid extended contact between exposed skin and the deck surface, especially with young children and those with special needs.

*Trex SunComfortable™ decking stays cooler than our original boards, but like all decking, it will get hot in direct sun, especially darker colors. Care should be taken to avoid extended contact between exposed skin and the deck surface, especially with young children and those with special needs.

**For details, please see the Care & Cleaning Guide available at trex.com/care and the Trex Limited Warranties on pages 65-71.

Trex Signature®

Inspired by the elegance of engineered hardwood decking for the ultimate luxury finish



ICON KEY

PRICE

\$-\$\$\$\$\$

LIMITED RESIDENTIAL WARRANTY COVERAGE


50 YEAR 35 YEAR 25 YEAR

SCRATCH RESISTANCE RATING


★-★★★★★

\$\$\$\$\$ 50 YEAR ★★★★★

Performance-Engineered decking with luxury wood aesthetics and natural colors



The crowning achievement of our decking innovation, made with the beauty of nature in mind



Trex Transcend® Lineage®

\$\$\$\$\$ 50 YEAR ★★★★★

Stunning, elevated aesthetics that are more heat resistant than standard composite decking*

*Trex SunComfortable™ decking stays cooler than our original boards, but like all decking, it will get hot in direct sun, especially darker colors. Care should be taken to avoid extended contact between exposed skin and the deck surface, especially with young children and those with special needs.



DECKING:
Trex Transcend® Lineage® in Salt Flat
RAILING:
Trex Signature® X-Series™ Cable Infill

HGTV
DREAM HOME
PROUD SPONSOR 2026

ICON KEY

PRICE

\$-\$\$\$\$\$

LIMITED RESIDENTIAL WARRANTY COVERAGE

50 YEAR 35 YEAR 25 YEAR

SCRATCH RESISTANCE RATING

★-★★★★★

SUNCOMFORTABLE™ TECHNOLOGY



FIRE-RESISTANT



DECKING:
Trex Transcend® Lineage® in Biscayne
RAILING:
Trex Signature® X-Series™ Cable Infill


*Cooler under the sun**



Trex Transcend® Lineage® in Carmel



Salt Flat




Carmel




Rainier



Biscayne



Island Mist



Jasper



Hatteras



*Trex SunComfortable™ decking stays cooler than our original boards, but like all decking, it will get hot in direct sun, especially darker colors. Care should be taken to avoid extended contact between exposed skin and the deck surface, especially with young children and those with special needs.



Winner of Green Builder's 2023
Sustainable Product of the Year

Trex Transcend[®]

Deep, wood-grain texture and multi-tonal hues that withstand the elements and accidental spills*

*For details, please see the Care & Cleaning Guide available at [trex.com/care](https://www.trex.com/care)



ICON KEY

PRICE

\$-\$\$\$\$\$

LIMITED RESIDENTIAL
WARRANTY COVERAGE



SCRATCH
RESISTANCE
RATING



FIRE-RESISTANT



\$\$\$\$\$ 50 YEAR  ★★★★★



Transcend decking's deep wood-grain pattern and luxury colors create a premium, ageless look that leave other composites in the dust

Scan the code below to find the perfect fit for your build with our **Trex Color Selector** tool



Rope Swing



Island Mist



Tiki Torch



Havana Gold



Spiced Rum



Lava Rock



Trex Select®

\$\$\$\$\$ 35 YEAR  ★★★★★

The perfect pairing of price and minimal maintenance*

*For details, please see the Care & Cleaning Guide available at [trex.com/care](https://www.trex.com/care)



ICON KEY

PRICE

\$-\$\$\$\$\$

LIMITED RESIDENTIAL WARRANTY COVERAGE



SCRATCH RESISTANCE RATING

★-★★★★★

SUNCOMFORTABLE™ TECHNOLOGY





FIRE-RESISTANT



*Built to handle real life with low maintenance and proven durability***

**For full details, see the Trex Limited Warranties on pages 65-71.



Trex Select® decking comes in nature-inspired colors that pair smartly with any home, and offers a splinter-free finish. Select decking is also Wildland Urban Interface (WUI) compliant, making it an excellent option for areas prone to wildfires.



Winner of the **LOOP Design Awards 2025 in the Outdoor Products Design** category: Trex Select® Decking with SunComfortable™ Technology





Trex Enhance[®] Naturals

\$\$\$\$\$ 25 YEAR ★★★★★

The beauty of wood with the ease of composite, practically priced



Enhance decking offers an authentic wood-grain appearance with the durability of composite and the affordability of wood



Enhance decking boards are scalloped, making them our lightest composite deck boards yet.



ICON KEY

PRICE

\$-\$\$\$\$\$

LIMITED RESIDENTIAL WARRANTY COVERAGE



SCRATCH RESISTANCE RATING

★-★★★★★

SUNCOMFORTABLE™ TECHNOLOGY



Trex Enhance[®] Basics

Authentic wood-grain appearance with the durability of composite and the affordability of wood




ICON KEY	PRICE	LIMITED RESIDENTIAL WARRANTY COVERAGE	SCRATCH RESISTANCE RATING	SUNCOMFORTABLE [™] TECHNOLOGY
	\$-\$\$\$\$\$	50 YEAR 35 YEAR 25 YEAR	★-★★★★★	

\$\$\$\$\$

25 YEAR

★★★★★



A smart step up from pressure-treated lumber; more time living on your deck and less time maintaining

Trex Refuge™

\$\$\$\$\$ 50 YEAR █████★★★★

Ignition-resistant PVC decking
engineered to resist flame spread
and fire ignition

Available in Select Regions



ICON KEY

PRICE

\$-\$\$\$\$\$

LIMITED RESIDENTIAL WARRANTY COVERAGE

50 YEAR 35 YEAR 25 YEAR

SCRATCH RESISTANCE RATING


★-★★★★★

FIRE-RESISTANT

Engineered to Resist Fire Ignition.
Proven to Earn Trust.



Trex PVC decking delivers Class A
flame-spread performance, backed
by decades of leadership in decking
technology, giving homeowners
added confidence.



HIDEAWAY® COLLECTION

When you want a deck that delivers above and beyond, build with the expanded **Trex Hideaway® Collection**, providing solutions for every deck fastening need, including color-match screws, plugs, butt joint clips and more.



Universal Hidden Clips

Crafted specifically for Trex decking, Hideaway® Clips offer a strong and seamless connection for a secure installation, every time.



Hideaway Plugs & Screws

Trex Hideaway® Color Match Composite Deck Screws and Decking Plugs offer both precision and lasting beauty that work across all decking lines.



One-Step Hidden Fastener Install Tool

Created with both the professional and the first time DIY'er in mind, this innovative tool delivers a faster, more precise installation, cutting install time up to half.

The Block Is Talking

Testimonials from real homeowners, contractors, and designers



Nikki Reed
Actress and Founder of Bayou with Love

"I'm forever a lover of beautiful and functional outdoor spaces, and Trex really brought my dreams to life. After seeing how stunning and durable the materials were, I had to keep going and building more!"



"California culture is all about indoor / outdoor living and Trex embodies that here for us in our backyard."

Shawn Taylor
Co-Owner of Dacotah Studios



"What I've been surprised about with the Trex decking material is how it withstands the abuse it takes down here in low country in the salt marsh. Our dock took on six hurricanes and after 10 years still looks brand new. No splinters, no sanding, no stress."

Rob and Lydia Mondavi
Homeowners




"From the Signature X-Series cable system to the Transcend Lineage composite decking with SunComfortable technology, every part of the Trex system is engineered for a no-hassle assembly. Durable and stylish is a combo I'll take any day."

Darren Keefe
HGTV Designer and Host

Trex

RAILING



An elevated finish for spaces that feel beautifully complete

With railing options for every style, it's never been easier to make the Trex decision that's right for you™

Elevated Style

With cable, mesh, glass and baluster infill options, you can achieve a look that suits your style and is a modern alternative to standard wood or vinyl railing.

Durability to Match Our Decking

Built with the same outstanding durability as Trex decking, your railing is engineered to endure whatever Mother Nature sends its way.*

*For full details, see the Trex Limited Warranties on pages 65-71.

Install with Confidence

With deck railing kits, pre-assembled panels, clear instructions and the right tools, installing your railing feels straightforward from start to finish.


More Material Options

From traditional composites to sleek metal offerings, our wide selection of safe and stylish railing options offers more choices for your build.

Think about railing early. Thank yourself later.

Railing belongs in the plan, not as the afterthought. With the **Trex Railing Designer**, design the whole deck, not just the boards. Explore classic composites, sleek metal, glass, cable, and modern infills for a clearer vision from day one.

Transform your vision into a view at railingdesigner.trex.com



Railing Anatomy

BALUSTERS

Ensures your rail's safety and sturdiness. Available in pre-assembled panels for compatible rails, for a hassle-free installation.

FOOT BLOCK

Foot blocks reinforce your rail. Required for certain rail sections.

POST SKIRT

Conceals gaps at post bases for a seamless look. Decorative and simple to install for a polished finish.

COMPOSITE POST SLEEVE

Durable covers protect wood posts from weather while enhancing style with low maintenance and easy installation.

RAILING POST

Vertical supports that secure rails in place. Durable, stylish options for modern or traditional designs with lasting safety and beauty.

GLASS INFILL

Clear panels offer unobstructed views, preserve sightlines, and enhance illumination with a sleek, elegant touch.

MESH INFILL

Structural mesh adds texture, security, and airflow with an industrial look and durable design.

ROD RAIL INFILL

The horizontal rail provides support and frames the system.

POST CAP

Protects posts from weather and adds elegance, blending form and function seamlessly for composite railings.

CABLE INFILL


Sleek stainless-steel cables provide open views, and a modern, minimalist aesthetic with a hassle-free install.

TOP & BOTTOM RAILS

Supports the infill and frames the system. Durable and stylish for a balanced, cohesive design.


COCKTAIL RAIL

Adds a convenient surface to your deck for drinks, plates, towels, potted plants, and more.




Trex Signature®
X-Series™ Railing

\$\$\$\$\$ 50 YEAR ★★★★★





Stainless Steel Cable Infill




Frameless Glass Infill

Trex Signature®
Aluminum Railing


\$\$\$\$\$-\$\$\$\$\$\$ 50 YEAR ★★★★★




Square or Round Balusters



Rod Rail Infill



Stainless Steel Mesh Infill



Glass Infill

Trex Transcend®
Composite Railing

\$\$\$\$\$ 35 YEAR ★★★★★




Round Aluminum Balusters



Square Composite Balusters



Mix & Match Colors




Personalize Your Look

Customize almost any Trex railing with options like cocktail rails, curves, lighting or ADA options

Trex Select®
Composite Railing


\$\$\$\$\$ 25 YEAR ★★★★★




Classic Rail With Round Aluminum Balusters



T-Rail With Square Composite Balusters





T-Rail With Round Aluminum Balusters



Classic Rail With Steel Mesh Infill

Trex Select™
Aluminum Railing


\$\$\$\$\$ 25 YEAR ★★★★★



Square Balusters

Trex Enhance™
Steel Railing

\$\$\$\$\$ 15 YEAR ★★★★★



Square Balusters

ICON KEY

PRICE

\$-\$\$\$\$\$\$

LIMITED RESIDENTIAL WARRANTY COVERAGE



RAILING DESIGN FLEXIBILITY

★-★★★★★

SCAN TO USE
OUR RAILING
DESIGNER TOOL



Trex Signature[®] X-Series[™] Railing

Outdoor sophistication and X-ponential style

\$\$\$\$\$

50
YEAR

★★★★★

Charcoal
Black



ICON KEY

PRICE

\$-\$\$\$\$\$

LIMITED RESIDENTIAL
WARRANTY COVERAGE

50
YEAR

35
YEAR

25
YEAR

15
YEAR

RAILING DESIGN
FLEXIBILITY


★-★★★★★

Architizer A+ Product Awards –
Trex Signature X-Series Railing named
the Popular Choice Winner: Flexible
Design category


Two Specialty Infill Options

Choose a modern stainless steel cable or the frameless glass infill for unobstructed views and streamlined looks.


Cable hardware is made from premium-grade stainless steel for corrosion resistance in marine and coastal applications, with novel spring-loaded cables for optimal tension management.



Stainless Steel Cable Infill



Frameless Glass Infill



Trex Signature[®] X-Series[™] Cable Infill



Trex Signature® Aluminum Railing

\$\$\$\$\$ - \$\$\$\$\$\$

50
YEAR

★★★★★

Charcoal Black

Bronze

Classic White


Effortless style, exceptional strength




*Clean, sleek, and elegant railing
to let your view shine through*




Made from premium aluminum, with four unique infills
to complement any design aesthetic




Square or Round Balusters



Rod Rail Infill



Stainless Steel Mesh Infill



Glass Infill

ICON KEY

PRICE

\$ - \$\$\$\$\$\$

LIMITED RESIDENTIAL
WARRANTY COVERAGE

50
YEAR

35
YEAR

25
YEAR

15
YEAR

RAILING DESIGN
FLEXIBILITY

★ - ★★★★★

Trex Transcend® Composite Railing

Timeless design you can trust and tailor

\$\$\$\$\$

35
YEAR

★★★★★

Charcoal Black

Vintage Lantern

Rope Swing

Classic White



DECKING:
Trex Transcend® Lineage® in Island Mist
RAILING:
Trex Transcend® in Classic White

ICON KEY

PRICE

\$-\$\$\$\$\$

LIMITED RESIDENTIAL
WARRANTY COVERAGE

50
YEAR

35
YEAR

25
YEAR


15
YEAR

RAILING DESIGN
FLEXIBILITY

★-★★★★★




Round Aluminum Balusters



Mix & Match Colors



Square Composite Balusters



Personalize Your Look

Customize almost any Trex railing with options like cocktail rails, curves, lighting or ADA compliant options

Mix and match or choose a railing kit

Trex Transcend offers the freedom to mix and match infill and rails putting every color combination within reach. Get style-specific or eliminate the guesswork with pre-designed kits.



RAILING:
Trex Transcend® in Rope Swing

Trex Select® Composite Railing

\$\$\$\$\$

25
YEAR

★★★★★


Charcoal Black

Classic White


The simple choice for your outdoor space.



Affordable **Trex Select®** railing outperforms vinyl and wood options and comes backed by a 25-year limited warranty*. Choose from Classic or T-Rail top rails with round aluminum or square composite baluster options or opt for new Select steel mesh railing infill panels for a rustic, industrial look, crafted from robust carbon steel.




Classic Rail With Round Aluminum Balusters



T-Rail With Round Aluminum Balusters



T-Rail With Square Composite Balusters



Classic Rail With Steel Mesh Infill

ICON KEY

PRICE

LIMITED RESIDENTIAL WARRANTY COVERAGE

RAILING DESIGN FLEXIBILITY

\$-\$\$\$\$\$

50
YEAR

35
YEAR

25
YEAR

15
YEAR

★-★★★★★

*For full details, see the Trex Limited Warranties on pages 65-71.

Trex Select™ Aluminum Railing

\$\$\$\$\$


25
YEAR

★★★★★

Charcoal Black

Burnished Bronze

Elegance meets simplicity



Square Balusters


Strike a balance of strength, weather resistance and value with **Trex Select™ Aluminum Railing**, crafted from powder-coated aluminum that resists corrosion* for lasting beauty. Affordable, easy-to-install panels offer clean, modern design combined with durability and ease of maintenance.



**For details, please see the Care & Cleaning Guide available at [trex.com/care](https://www.trex.com/care) and the Trex Limited Warranties on pages 65-71.

Trex EnhanceTM Steel Railing

Functional design at a budget-friendly cost



Square Balusters

Sometimes a simple steel railing is all you need to add a modern touch. Entry-level **Trex EnhanceTM Steel Railing** delivers functional design at a budget-friendly price. The simple design highlights your view and withstands weather and arid conditions.*

\$\$\$\$\$ 15 YEAR ★★★★★

Charcoal Black



DECKING:
Trex RefugeTM in Martis Valley
RAILING:
Trex EnhanceTM Steel

ICON KEY

PRICE

LIMITED RESIDENTIAL WARRANTY COVERAGE


RAILING DESIGN FLEXIBILITY

\$-\$\$\$\$\$

50 YEAR 35 YEAR 25 YEAR 15 YEAR

★-★★★★★

*For full details, see the Trex Limited Warranties on pages 65-71.



COMPOSITE FENCING

Lasting beauty, low maintenance.
Finish your backyard paradise with the perfect frame.

Fencing:
Trex[®] Fencing Horizons in Winchester Grey



Low-Maintenance

No painting or staining; won't rot, peel, or splinter like wood.*



True Privacy

Interlocking pickets create a continuous, gap-free screen.



Wind-Ready

Performance-EngineeredTM system designed to stay stable through gusty conditions.

*For full details, see the Trex Railing Limited Warranties at trex.com/customer-support/trex-owners/warranty

Trex^{PRO} Builders

High-performance decks
need high-performance deck builders



Has an Independent
Contractor License,
Where Required



Experienced in
Trex Products and
Installation



Carries General
Liability Insurance,
Where Required

GET A

QUOTE

FOLLOW
@buildwithtrex




Bring your projects to life with help from our

Digital Tools



Visualize your new deck right in your backyard with
the Trex decking and railing **AR Visualizer App**.
Download the Trex AR Visualizer from any app store.



Our **Deck Designer** tool helps you handpick every
element of your build and preview it in 3D.

Get started with all of our planning tools at [trex.com](https://www.trex.com)



Scan to Find More
Trex Tools and
Resources



Trex® RainEscape®

Elevate Every Moment Outside

Let Trex deliver the finishing touches your project deserves



Trex® Outdoor Furniture



Trex® Outdoor Kitchens



Trex® Cladding




Trex® Fascia



Trex® Pergola



Trex® Lattice



Trex® Spiral Stairs



Trex® Outdoor Lighting



Trex® Fencing



Trex® Cornhole

Trex® RainEscape® products are manufactured and sold by IBP, LLC under a Trademark License Agreement with Trex Company, Inc. RainEscape® is a federally registered trademark of IBP, LLC. A Limited Warranty is provided by the manufacturer. Trex® Outdoor Furniture products are manufactured and sold by POLYWOOD. Under a Trademark License Agreement with Trex Company, Inc. A 20-Year Limited Warranty is provided by the manufacturer. Trex® Outdoor Kitchens is manufactured and sold by Danver Acquisitions, LLC, under a Trademark Agreement with Trex Company, Inc. A Limited Warranty is provided by the manufacturer. Trex® Lattice is manufactured and sold by Home & Leisure, Inc., d/b/a/ Structureworks, under a Trademark License Agreement with Trex Company, Inc. A 12-year Limited Warranty is provided by the manufacturer. Trex® Pergola products are manufactured and sold by Home & Leisure, Inc., d/b/a/ Structureworks, under a Trademark License Agreement with Trex Company, Inc. A 25-Year Limited Residential Warranty and a 10-Year Limited Commercial Warranty provided by the manufacturer. Sunbrella® is a registered trademark of Glen Raven, Inc. ShadeTree® Canopy is a registered trademark of Shade Tree Inc. Trex® Spiral Stairs are manufactured and sold by SS Industries dba Paragon Stairs. Trex® is a trademark of Trex Company Inc., and is used by SS Industries dba Paragon Stairs under license with, Trex Company, Inc. Trex® Cornhole products are manufactured and sold by Johnson Enterprises, LLC, under a Trademark License Agreement with Trex Company, Inc. Limited Warranty provided by manufacturer. For the terms of warranties on Trex® OutdoorLighting visit trex.com. Cree® is a registered trademark of Cree, Inc.

Trex® Decking

Performance-Engineered™ for Your Life Outdoors

PRODUCT SPECIFICATIONS

Trex Decking and Fascia

PROFILE			DESCRIPTION	ITEM #	COLORS
1" Square-Edge Board		1 × 6 × 16'	Signature	XX010616NS01 XX010620NS01	OC, WY
		1 × 6 × 20'			
		1 × 4 × 16'	Transcend Lineage	XX010416TLS01	BC, CL, HT, IM, JA, RN, SF
		1 × 6 × 12'	Transcend Lineage	XX010612TLS01 XX010616TLS01 XX010620TLS01	BC, CL, HT, IM, JA, RN, SF
		1 × 6 × 16'			
		1 × 6 × 16'	Transcend Tropicals	XX010616TS01 XX010620TS01	HG, IM, LR, SR, TT
		1 × 6 × 20'	Transcend Earth Tones	XX010616T2S01 XX010620T2S01	RS
	1 × 6 × 16'				
		7/8 × 6 × 12'	Select	XX010612SS01 XX010616SS01 XX010620SS01	PG, SD
		7/8 × 6 × 16'			
7/8 × 6 × 20'					
	7/8 × 6 × 12'	Select	XX010612S2S01 XX010616S2S01 XX010620S2S01	MY, MS, WL	
	7/8 × 6 × 16'				
	7/8 × 6 × 20'				
	1 × 6 × 16'	Enhance Naturals	XX010616E2S01 XX010620E2S01	CC, FW, GH, HY, RH, TS	
	1 × 6 × 20'	Enhance Basics	XX010616E2S01 XX010620E2S01	CS, PB, SD, TP	
1 × 6 × 16'					
	1 × 6 × 16'	Refuge	XX010616RS01 XX010620RS01	MV, PR	
	1 × 6 × 20'				
1" Grooved-Edge Board		1 × 6 × 12'	Signature	XX010612NG01 XX010616NG01 XX010620NG01	OC, WY
		1 × 6 × 16'			
		1 × 6 × 20'			
		1 × 6 × 12'	Transcend Lineage	XX010612TLG01 XX010616TLG01 XX010620TLG01	BC, CL, HT, IM, JA, RN, SF
		1 × 6 × 16'			
		1 × 6 × 20'			
		1 × 6 × 12'	Transcend Tropicals	XX010612TG01 XX010616TG01 XX010620TG01	HG, IM, LR, SR, TT
1 × 6 × 16'					
1 × 6 × 20'					
	1 × 6 × 12'	Transcend Earth Tones	XX010612T2G01 XX010616T2G01 XX010620T2G01	RS	
	1 × 6 × 16'				
	1 × 6 × 20'				

Actual dimensions:
Trex Signature® 1x6:
.94 in x 5.5 in x 16 ft / 20 ft
(24 mm x 140 mm x 487 cm / 609 cm)

Trex Transcend® Lineage® 1x4:
.94 in x 3.5 in x 16 ft
(24 mm x 89 mm x 487 cm)

Trex Transcend® Lineage® 1x6:
.94 in x 5.5 in x 12 ft / 16 ft / 20 ft
(24 mm x 140 mm x 365 cm / 487 cm / 609 cm)

Trex Transcend® 1x6:
.94 in x 5.5 in x 16 ft / 20 ft
(24 mm x 140 mm x 487 cm / 609 cm)

Trex Select® 7/8x6:
.82 in x 5.5 in x 16 ft / 20 ft
(20 mm x 140 mm x 487 cm / 609 cm)

Trex Enhance® 1x6:
.94 in x 5.5 in x 16 ft / 20 ft
(24 mm x 140 mm x 487 cm / 609 cm)

Trex Refuge™ 1x6:
.94 in x 5.5 in x 16 ft / 20 ft
(24 mm x 140 mm x 487 cm / 609 cm)

PROFILE		DESCRIPTION	ITEM #	COLORS
	7/8 x 6 x 12' 7/8 x 6 x 16' 7/8 x 6 x 20'	Select	XX010612SG01 XX010616SG01 XX010620SG01	PG, SD
	7/8 x 6 x 12' 7/8 x 6 x 16' 7/8 x 6 x 20'	Select	XX010612S2G01 XX010616S2G01 XX010620S2G01	MY, MS, WL
	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Enhance Naturals	XX010612E2G01 XX010616E2G01 XX010620E2G01	CC, FW, GH, HY, RH, TS
	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Enhance Basics	XX010612E2G01 XX010616E2G01 XX010620E2G01	CS, PB, SD, TP
1" x 8" Fascia Board	1 x 8 x 12'	Signature	XX010812NS01	OC, WY
	1 x 8 x 12' 1 x 8 x 12' 1 x 8 x 12'	Transcend Lineage Transcend Tropicals Transcend Earth Tones	XX010812TLS01 XX010812TS01 XX010812T2S01	BC, CL, HT, IM, JA, RN, SF HG, IM, LR, SR, TT RS
	1 x 8 x 12'	Select	XX010812SS01	PG, SD
	1 x 8 x 12'	Select	XX010812S2S01	MY, MS, WL
	1 x 8 x 12' 1 x 8 x 12'	Enhance Naturals Enhance Basics	XX010812E2S01 XX010812E2S01	CC, FW, GH, HY, RH, TS CS, PB, SD, TP
	1 x 8 x 12'	Universal White	WW010812ES01	WW
	1 x 12 x 12'	Signature	XX011212NS01	OC, WY
	1 x 12 x 12' 1 x 12 x 12' 1 x 12 x 12'	Transcend Lineage Transcend Tropicals Transcend Earth Tones	XX011212TLS01 XX011212TS01 XX011212T2S01	BC, CL, HT, IM, JA, RN, SF HG, IM, LR, SR, TT RS
	1 x 12 x 12'	Select	XX011212SS01	PG, SD
	1 x 12 x 12'	Select	XX011212S2S01	MY, MS, WL
2" Square-Edge Board	2 x 4 x 16'	Transcend Tropicals	XX020416TS01	HG, IM, LR, SR, TT
	2 x 6 x 12' 2 x 6 x 16' 2 x 6 x 20'	Transcend Tropicals	XX020612TS01 XX020616TS01 XX020620TS01	HG, IM, LR, SR, TT
	2 x 6 x 12' 2 x 6 x 16' 2 x 6 x 20'	Select	XX020612SS01 XX020616SS01 XX020620SS01	PG, SD
	2 x 6 x 12' 2 x 6 x 16' 2 x 6 x 20'	Select	XX020612S2S01 XX020616S2S01 XX020620S2S01	MY, MS, WL
	Actual dimensions: Trex Transcend® Tropicals 2x4: 1.3 in x 3.4 in x 16 ft (33 mm x 86 mm x 487 cm)			
	Trex Transcend® Tropicals: 1.3 in x 5.5 in x 12 ft / 16 ft / 20 ft (33 mm x 140 mm x 365 cm / 487 cm / 609 cm)			
	Trex Select® 2x6: 1.3 in x 5.5 in x 12 ft / 16 ft / 20 ft (33 mm x 140 mm x 365 cm / 487 cm / 609 cm)			
	Trex Signature® 1x6: .94 in x 5.5 in x 12 ft / 16 ft / 20 ft (24 mm x 140 mm x 365 cm / 487 cm / 609 cm)			
	Trex Transcend® Lineage® 1x6: .94 in x 5.5 in x 12 ft / 16 ft / 20 ft (24 mm x 140 mm x 365 cm / 487 cm / 609 cm)			
	Trex Transcend® 1x6: .94 in x 5.5 in x 12 ft / 16 ft / 20 ft (24 mm x 140 mm x 365 cm / 487 cm / 609 cm)			

XX = COLOR PREFIX

BC Biscayne
CC Cinnamon Cove
CL Carmel
CS Clam Shell

FW Foggy Wharf
GH Golden Hour
HG Havana Gold
HT Hatteras
HY Honey Grove

IM Island Mist
JA Jasper
LR Lava Rock
MS Millstone
MV Martis Valley

MY Malted Barley
OC Ocracoke
PB Pebble Beach
PG Pebble Grey
PR Point Reyes

RH Rocky Harbor
RN Rainier
RS Rope Swing
SD Saddle

SF Salt Flat
SR Spiced Rum
TP Tide Pool
TS Toasted Sand

TT Tiki Torch
WW Universal White
WY Whidbey
WL Whiskey Barrel

Trex® Railing

Endless Possibilities

TREX® POST SLEEVES, CAPS & SKIRTS

These components can be used as steps 1 & 2 for most Trex railing lines.

STEP	COMPONENT		DESCRIPTION	ITEM #	COLORS
1	Post Sleeve Each 4x4 and 6x6 post sleeve fits over a 4x4 pressure treated post or equivalent post mount.		4" x 4" x 39" Post Sleeve 4" x 4" x 108" Post Sleeve	XX040439APS XX0404108APS	WT, BK, RS, VL
			6" x 6" x 39" Post Sleeve 6" x 6" x 108" Post Sleeve	WT060639APS WT0606108APS	WT
<i>Dimensions are nominals. See below for actuals and metrics.</i> [4.45 in x 4.45 in x 40 in (113 mm x 113 mm x 101 cm) external dimensions], [4.45 in x 4.45 in x 108 in (113 mm x 113 mm x 274 cm) external dimensions], [5.5 in x 5.5 in x 39 in (139 mm x 139 mm x 990 mm) external dimensions], [5.5 in x 5.5 in x 108 in (139 mm x 139 mm x 274 cm) external dimensions]					
1	Aluminum Post Sleeve With post cap and skirt		4" x 4" x 37" Aluminum Post Sleeve 4" x 4" x 43" Aluminum Post Sleeve 4" x 4" x 53" Aluminum Post Sleeve—Stair	XXSAL040437PS XXSAL040443PS XXSAL040453PS	BK, BB
2a	Post Sleeve Cap Also available with LED lighting. <i>Dimensions are nominals. See below for actuals and metrics.</i> [4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions] [5.55 in x 5.55 in (140 mm x 140 mm) internal dimensions]		Flat 4" x 4" Post Sleeve Cap Flat 6" x 6" Post Sleeve Cap	PXXSQCAP4X4 PWTSQCAP6X6	WT, BK, RS, VL
2a	Solar Post Cap Light <i>Dimensions are nominals. See below for actuals and metrics.</i> [4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions]		Flat 4" x 4" Solar Post Cap Light	XXSOLAR4X4CAP	WT, BK, VL
2b	Post Sleeve Skirt <i>Dimensions are nominals. See below for actuals and metrics.</i> [4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions] [5.55 in x 5.55 in (140 mm x 140 mm) internal dimensions]		4" x 4" Post Sleeve Skirt 6" x 6" Post Sleeve Skirt	PXXSKIRT4X4 PWTSKIRT6X6	WT, BK, RS, VL
1 2a 2b	All-In-One Post Kit With low-profile post sleeve, post cap and skirt <i>Not for use with Trex Transcend®</i>		40" Trex Select All-In-One Post Kit 48" Trex Select All-In-One Post Kit 54" Trex Select All-In-One Post Kit	XX040440NTPS XX040448NTPS XX040454NTPS	WT, BK

Please read the system descriptions at the top of each product section so you can choose exactly which railing components you need to complete your design. For additional guidance, the chart below depicts each railing system's component.

ACCESSORIES

COMPONENT		DESCRIPTION	ITEM #	COMPONENT		DESCRIPTION	ITEM #
Surface Mount Post For use with 4x4 composite post sleeve. <i>Actual external dimensions of insert:</i> 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm) 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm)		Aluminum Surface Mount Post for 36" (914 mm) Rail Height (1/box)	ALPOSTMOUNT36	Joist Mount Post For use with 4x4 composite post sleeve. <i>Actual external dimensions of insert:</i> 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm)		Aluminum Joist Mount Post for use with all Trex railing heights (1/box)	CPJMNTPOST63
		Aluminum Surface Mount Post for 42" (1066 mm) Rail Height (1/box)	ALPOSTMOUNT42				
		Surface Mount Post Hardware—Wood (10 kits/box)	ALPOSTHWDECK				

XX = COLOR PREFIX BK Charcoal Black VL Vintage Lantern
RS Rope Swing WT Classic White

TREX® SIGNATURE X-SERIES™ RAILING

Choose your X-Series Post for step 1. Pair with either a Cable Rail Kit or Frameless Glass Infill Kit and Laminated Glass Panel for steps 2 & 3.

STEP	COMPONENT	DESCRIPTION	ITEM #	
1	X-Series Posts <i>Dimensions are nominals. See below for actuals and metrics.</i> [3.5 in x 3.5 in x 36.9 in (88 mm x 88 mm x 937 mm) actual dimensions] [3.5 in x 3.5 in x 42.9 in (88 mm x 88 mm x 108 cm) actual dimensions] [3.5 in x 3.5 in x 52.9 in (88 mm x 88 mm x 134 cm) actual dimensions]	 3.5" x 3.5" x 37" Anchor Post—Horizontal 3.5" x 3.5" x 43" Anchor Post—Horizontal* 3.5" x 3.5" x 53" Anchor Post—Stair <i>*Can be used for stair applications for 36" rail height only</i>	BKAX353537RCAP BKAX353543RCAP BKAX353553RCAP	
2	Cable Rail Kit <i>Dimensions are nominals. See below for actuals and metrics.</i> [6' x 36": 72 in x 36 in (182 cm x 914 mm) actual dimensions] [12' x 36": 144 in x 36 in (365 cm x 914 mm) actual dimensions] [18' x 36": 216 in x 36 in (548 cm x 914 mm) actual dimensions] [6' x 42": 72 in x 42 in (182 cm x 106 cm) actual dimensions] [12' x 42": 144 in x 42 in (365 cm x 106 cm) actual dimensions] [18' x 42": 216 in x 42 in (548 cm x 106 cm) actual dimensions]	 6' x 36" Cable Rail Kit—Horizontal 12' x 36" Cable Rail Kit—Horizontal 18' x 36" Cable Rail Kit—Horizontal 6' x 36" Cable Rail Kit—Stair 6' x 42" Cable Rail Kit—Horizontal 12' x 42" Cable Rail Kit—Horizontal 18' x 42" Cable Rail Kit—Horizontal 6' x 42" Cable Rail Kit—Stair	BKAX0636CBLHRK BKAX1236CBLHRK BKAX1836CBLHRK BKAX0636CBLSRK BKAX0642CBLHRK BKAX1242CBLHRK BKAX1842CBLHRK BKAX0642CBLSRK	
2	Frameless Glass Infill Kit Infill Kit—Horizontal (One Size)		BKAXGLIK	
3	Laminated Glass Panel For use with Trex Signature® X-Series™ Frameless Glass Infill Kit.	 for 36" Rail Height—Horizontal for 42" Rail Height—Horizontal	Visit glass.trex.com to order custom glass panels to complete your build.	
		Compound Swivel Bracket	1 per pack (top rail only). For horizontal or stair.	BKAXCPDSWBKT

TREX SIGNATURE® RAILING

Choose either aluminum posts or composite post sleeves, caps and skirts for steps 1 & 2. Pair with a rail kit (step 3) and infill panel (step 4) if needed.

STEP	COMPONENT	DESCRIPTION	ITEM #	DESCRIPTION	ITEM #
1+2	Aluminum Posts <i>Can only be used within the Trex Signature® line. Mounting hardware for post sold separately.</i> <i>Trex Signature® aluminum posts fulfill steps 1 & 2. If using composite post sleeves, refer to previous page.</i>	2.5" x 2.5" x 37" Aluminum Post—Horizontal	XXAL252537RCAP	2.5" x 2.5" x 36" Crossover Post—Horizontal	XXAL252536RCCP
		2.5" x 2.5" x 43" Aluminum Post—Horizontal	XXAL252543RCAP		
		2.5" x 2.5" x 53" Aluminum Post—Stair	XXAL252553RCAP	2.5" x 2.5" x 42" Crossover Post—Horizontal	XXAL252542RCCP
		<i>Comes with cap and skirt.</i>			
		2.5" x 2.5" x 37" Line Post with Premounted Brackets	BKAL252537RCAPLINE2G	2.5" x 2.5" x 63" Aluminum Joist Mount Post	XXJMNTPOST63
		2.5" x 2.5" x 37" End Post with Premounted Brackets	BKAL252537RCAPEND2G	<i>Comes with cap and skirt.</i>	
		2.5" x 2.5" x 37" Corner Post with Premounted Brackets	BKAL252537RCAPCNR2G		
		2.5" x 2.5" x 43" Line Post with Premounted Brackets	BKAL252543RCAPLINE2G		
		2.5" x 2.5" x 43" End Post with Premounted Brackets	BKAL252543RCAPEND2G		
		2.5" x 2.5" x 43" Corner Post with Premounted Brackets	BKAL252543RCAPCNR2G		
		<i>Comes with cap and skirt.</i>		Fascia Mount Kit - Wood Framing	XXFMNTWOOD
				<i>For use with Joist Mount Post only.</i>	

Dimensions are nominals. See below for actuals and metrics.
[2.5 in x 2.5 in x 36 in (63 mm x 63 mm x 914 mm) actual dimensions] [2.5 in x 2.5 in x 37 in (63 mm x 63 mm x 939 mm) actual dimensions] [2.5 in x 2.5 in x 42 in (63 mm x 63 mm x 106 cm) actual dimensions] [2.5 in x 2.5 in x 43 in (63 mm x 63 mm x 109 cm) actual dimensions] [2.5 in x 2.5 in x 53 in (63 mm x 63 mm x 134 cm) actual dimensions] [2.5 in x 2.5 in x 63 in (63 mm x 63 mm x 160 cm) actual dimensions]

STEP	COMPONENT	DESCRIPTION	ITEM #	DESCRIPTION	ITEM #
3	Assembled Panels <i>Does not include hardware. Available in BK.</i>	4' x 36" Assembled Panel (Square)—Horizontal	BKAS0436HRPNL	4' x 42" Assembled Panel (Square)—Horizontal	BKAS0442HRPNL
		6' x 36" Assembled Panel (Square)—Horizontal	BKAS0636HRPNL	6' x 42" Assembled Panel (Square)—Horizontal	BKAS0642HRPNL
		6' x 36" Assembled Panel (Square)—Stair	BKAS0636SRPNL	6' x 42" Assembled Panel (Square)—Stair	BKAS0642SRPNL
		8' x 36" Assembled Panel (Square)—Horizontal	BKAS0836HRPNL	8' x 42" Assembled Panel (Square)—Horizontal	BKAS0842HRPNL
		8' x 36" Assembled Panel (Square)—Stair	BKAS0836SRPNL	8' x 42" Assembled Panel (Square)—Stair	BKAS0842SRPNL
					

STEP	COMPONENT	DESCRIPTION	ITEM #	DESCRIPTION	ITEM #
3	Rail & Baluster Kit <i>(includes top rail, bottom rail, balusters and mounting and support hardware) Round kits available in BK. Square kits available in BK and WT.</i>	6' x 36" Rail Kit w/ Round Balusters—Horizontal	BKAR0636HRK	6' x 42" Rail Kit w/ Round Balusters—Horizontal	BKAR0642HRK
		6' x 36" Rail Kit w/ Round Balusters—Stair	BKAR0636SRK	6' x 42" Rail Kit w/ Round Balusters—Stair	BKAR0642SRK
		8' x 36" Rail Kit w/ Round Balusters—Horizontal	BKAR0836HRK	8' x 42" Rail Kit w/ Round Balusters—Horizontal	BKAR0842HRK
		8' x 36" Rail Kit w/ Round Balusters—Stair	BKAR0836SRK	8' x 42" Rail Kit w/ Round Balusters—Stair	BKAR0842SRK
		6' x 36" Rail Kit w/ Square Balusters—Horizontal	XXAS0636HRK	6' x 42" Rail Kit w/ Square Balusters—Horizontal	XXAS0642HRK
		6' x 36" Rail Kit w/ Square Balusters—Stair	XXAS0636SRK	6' x 42" Rail Kit w/ Square Balusters—Stair	XXAS0642SRK
		8' x 36" Rail Kit w/ Square Balusters—Horizontal	XXAS0836HRK	8' x 42" Rail Kit w/ Square Balusters—Horizontal	XXAS0842HRK
		8' x 36" Rail Kit w/ Square Balusters—Stair	XXAS0836SRK	8' x 42" Rail Kit w/ Square Balusters—Stair	XXAS0842SRK
3	Rod Rail Kit <i>(includes top rail, bottom rail, rods and mounting and support hardware) Available in BKBK.</i>	6' x 36" Rod Rail Kit—Horizontal	BKBKROD0636HRK	6' x 42" Rod Rail Kit—Horizontal	BKBKROD0642HRK
		6' x 36" Rod Rail Kit—Stair	BKBKROD0636SRK	6' x 42" Rod Rail Kit—Stair	BKBKROD0642SRK
		8' x 36" Rod Rail Kit—Horizontal	BKBKROD0836HRK	8' x 42" Rod Rail Kit—Horizontal	BKBKROD0842HRK
		8' x 36" Rod Rail Kit—Stair	BKBKROD0836SRK	8' x 42" Rod Rail Kit—Stair	BKBKROD0842SRK
		36" Rod Rail Vertical Kit—Horizontal	BK36RODHVERTK	<i>Use as an accessory for cut Rod Rail sections. Available in BK.</i>	
		36" Rod Rail Vertical Kit—Stair	BK36RODSVERTK		
		42" Rod Rail Vertical Kit—Horizontal	BK42RODHVERTK		
		42" Rod Rail Vertical Kit—Stair	BK42RODSVERTK		
3	Mesh Rail Kit <i>(includes top rail, bottom rail, verticals and mounting and support hardware) Available in BK. Mesh infill sold separately.</i>	6' x 36" Mesh Rail Kit—Horizontal	BKA0636PNLHRK	6' x 42" Mesh Rail Kit—Horizontal	BKA0642PNLHRK
		6' x 36" Mesh Rail Kit—Stair	BKA0636PNLSRK	6' x 42" Mesh Rail Kit—Stair	BKA0642PNLSRK
		8' x 36" Mesh Rail Kit—Horizontal	BKA0836PNLHRK	8' x 42" Mesh Rail Kit—Horizontal	BKA0842PNLHRK
		8' x 36" Mesh Rail Kit—Stair	BKA0836PNLSRK	8' x 42" Mesh Rail Kit—Stair	BKA0842PNLSRK
		36" Mesh Rail Vertical Kit—Horizontal	BK36MSHHVERTK	<i>Use as an accessory for cut mesh railing sections. Available in BK.</i>	
		36" Mesh Rail Vertical Kit—Stair	BK36MSHSVERTK		
		42" Mesh Rail Vertical Kit—Horizontal	BK42MSHHVERTK		
		42" Mesh Rail Vertical Kit—Stair	BK42MSHSVERTK		
3	Glass Rail Kit <i>(includes top rail, bottom rail, and mounting and support hardware) Available in BK and WT. Glass infill sold separately.</i>			6' Glass Rail Kit—Horizontal	XXA06HGLRK
				<i>Dimension above is nominal. See below for actual and metric. [6': 72 in (182 cm) actual dimension]</i>	

Dimensions are nominals. See below for actuals and metrics.
[4' x 36": 48 in x 36 in (122 cm x 914 mm) actual dimensions] [4' x 42": 48 in x 42 in (122 cm x 106 cm) actual dimensions] [6' x 36": 72 in x 36 in (182 cm x 914 mm) actual dimensions] [8' x 36": 96 in x 36 in (243 cm x 914 mm) actual dimensions] [6' x 42": 72 in x 42 in (182 cm x 106 cm) actual dimensions] [8' x 42": 96 in x 42 in (243 cm x 106 cm) actual dimensions] [6' x 42": 72 in x 42 in (182 cm x 106 cm) actual dimensions] [8' x 42": 96 in x 42 in (243 cm x 106 cm) actual dimensions]

STEP	COMPONENT	DESCRIPTION	ITEM #		
4	Mesh Panel	For use with Trex Signature® Mesh Rail Kit. <i>Dimensions are nominals. See below for actuals and metrics.</i>			
		[6' x 36": 64 in x 32.375 in (162 cm x 822 mm) actual dimensions]		6' x 36" Stainless Steel Mesh Panel—Horizontal	SSMESH0636HZ
		[8' x 36": 88 in x 32.375 in (223 cm x 822 mm) actual dimensions]		8' x 36" Stainless Steel Mesh Panel—Horizontal	SSMESH0836HZ
		[8' x 42": 88 in x 38.375 in (223 cm x 974 mm) actual dimensions]		8' x 42" Stainless Steel Mesh Panel—Horizontal	SSMESH0842HZ
		[Universal: 108.1875 in x 36.1875 in (274 cm x 919 mm) actual dimensions]		Universal Stainless Steel Mesh Panel—Stair	SSMESHUNIVST
4	Glass Panel	For use with Trex Signature® Glass Rail Kit.			
			for 36" Rail Height—Horizontal for 42" Rail Height—Horizontal	Visit glass.trex.com to order custom glass panels to complete your build.	

ACCESSORIES	COMPONENT	ITEM #	COMPONENT	ITEM #
	Bracket Template—Horizontal (36" and 42") - 4x4 Composite Sleeve	SIGTEMP4X4SLEEVE2G	Cocktail Rail Bracket (10/pack) Fixed Bracket—Horizontal (4/pack) Fixed Bracket—Stair (4/pack) Swivel Bracket—Horizontal (2/pack—1 top, 1 bottom) Swivel Bracket—Stair (2/pack—1 top, 1 bottom) Compound Swivel Bracket (2/pack—1 top, 1 bottom)	XXCTBKTAL10PK XXFHBKTALPNL2G XXFSBKTAL XXSWHBTAL2G XXSWSBKTAL XXCPDSWBKTAL
	Bracket Template—Horizontal (36" and 42") - 2.5" Aluminum Post	SIGTEMPIRCPOST2G	Crossover Bracket—Horizontal (1/pack) 90° Crossover Bracket—Horizontal (1/pack) Crossover Rail End Cap Swivel Crossover Bracket—Stair (1/pack)	XX25FHCBKTAL XX90FHCBKTAL XXXOVERENDCAP XX25RCSWSCBKTAL
	Foot Block Extended Foot Block	XXALFTBLK XXAL08FTBLK	Touch-up Pen	XXTOUCHUPPEN

TREX TRANSCEND® RAILING

Transcend is either a 3-step or 5-step process. Choose Trex post sleeves, caps and skirts (steps 1 & 2), then choose a rail kit (step 3). OR choose each component individually for a custom design (steps 3a, 3b, 4 & 5).

STEP	COMPONENT	DESCRIPTION	ITEM #	COLORS
3		6' x 36" Rail & Baluster Kit—Horizontal 6' x 36" Rail & Baluster Kit—Stair 8' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit—Stair	XX0636HRKFS WT0636SRKFS XX0836HRKFS XX0836SRKFS	WT, BK, VL
		6' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Stair	XX0642HRKFS XX0842HRKFS XX0842SRKFS	WT, BK, VL
3		6' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit—Stair	XXRD0636HRKFS XXRD0836HRKFS XXRD0836SRKFS	WT, BK, VL
		6' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Stair	XXRD0642HRKFS XXRD0842HRKFS XXRD0842SRKFS	WT, BK, VL
3		6' x 36" Cocktail Rail & Baluster Kit—Horizontal 8' x 36" Cocktail Rail & Baluster Kit—Horizontal 8' x 36" Cocktail Rail & Baluster Kit—Stair	WTRD0636HRKCKTLFS WTRD0836HRKCKTLFS WTRD0836SRKCKTLFS	WT
<i>Dimensions are nominals. See below for actuals and metrics.</i> 6' x 36": 72 in x 36 in (182 cm x 914 mm), 6' x 42": 72 in x 42 in (182 cm x 106 cm), 8' x 36": 96 in x 36 in (243 cm x 914 mm) , 8' x 42": 96 in x 42 in (243 cm x 106 cm)				
3a		6' Crown Top Rail 8' Crown Top Rail	XXCROWNTR06FS XXCROWNTR08FS	WT, BK, RS, VL
3b		6' Universal Top/Bottom Rail 8' Universal Top/Bottom Rail	XXUNIVTBRO6FS XXUNIVTBRO8FS	
		6' Universal Top/Bottom Rail 8' Universal Top/Bottom Rail	XXUNIVTBRO6FS XXUNIVTBRO8FS	WT, BK, RS, VL

STEP	COMPONENT	DESCRIPTION	ITEM #	COLORS
4		Square Composite Balusters for 36" Rail Height (16/pack)	XX020230SBK	WT, BK, RS, VL
		Square Composite Balusters for 42" Rail Height (16/pack)	XX020236SBK	
		Round Aluminum Balusters for 36" Rail Height (20/pack)	XXTA30RBK	BK
		Round Aluminum Balusters for 42" Rail Height (20/pack)	XXTA36RBK	
<i>Dimensions are nominals. See below for actuals and metrics.</i> 6' Full Span Rail: 72 in (182 cm), 8' Full Span Rail: 96 in (243 cm), Composite 36" Baluster: 1.418 in x 1.418 in x 30.375 in (36 mm x 36 mm x 771 mm), Composite 42" Baluster: 1.418 in x 1.418 in x 36.375 in (36 mm x 36 mm x 923 mm), Aluminum 36" Baluster: .75 in x 30.25 in (19 mm x 768 mm), Aluminum 42" Baluster: .75 in x 36.25 in (19 mm x 920 mm)				
BALUSTER		ORIENTATON	6' SECTION	8' SECTION
Square composite		Horizontal	14	19
		Stair	11	15
Round aluminum		Horizontal	16	21
		Stair	13	17
5		6' Accessory Infill Kit for Square Composite Balusters—Horizontal 6' Accessory Infill Kit for Square Composite Balusters—Stair 8' Accessory Infill Kit for Square Composite Balusters—Horizontal 8' Accessory Infill Kit for Square Composite Balusters—Stair	XXSQHIK06FS XXSQSIK06FS XXSQHIK08FS XXSQSIK08FS	WT, BK, RS, VL
		6' Accessory Infill Kit for Round Aluminum Balusters—Horizontal 6' Accessory Infill Kit for Round Aluminum Balusters—Stair 8' Accessory Infill Kit for Round Aluminum Balusters—Horizontal 8' Accessory Infill Kit for Round Aluminum Balusters—Stair	XXRDHIK06FS XXRDSIK06FS XXRDHIK08FS XXRDSIK08FS	WT, BK, RS, VL
<i>Dimensions are nominals. See below for actuals and metrics.</i> 6': 72 in (182 cm), 8': 96 in (243 cm)				

XX = COLOR PREFIX	COMPOSITE COLORS		ALUMINUM COLORS	
	BK Charcoal Black	VL Vintage Lantern	BK Charcoal Black	
	RS Rope Swing	WT Classic White	WT Classic White	



ACCESSORIES	COMPONENT	ITEM #	COMPONENT	ITEM #
	Transcend Bracket Template— Horizontal (36" and 42")— Composite Sleeve	TSCTEMP4X4SLEEVE	Mounting Hardware for Cut Rails—Horizontal Mounting Hardware for Cut Rails—Stair	XXHZACCYKIT XXSTACCYKIT
			Transcend RSB Bracket Pack—Horizontal Transcend RSB Bracket Pack—Stair	TSHBRACKET TSSBRACKET
	Foot Block	XXFTBLKPC	0° Rail Gasket Pack—Horizontal 0° Degree Rail Gasket Pack—Stair	XX00HGASK XX00SGASK
			22.5° Gasket Pack 45° Birdsmouth Gasket Pack (<i>for 4x4</i>) 45° Degree Gasket Pack (<i>for 6x6</i>)	XX22HGASK XX45RSBADAPK WT45HGASK

TREX SELECT® RAILING

Trex Select® is a 3-step process. Choose Trex post sleeves, caps and skirts (steps 1 & 2) and a rail kit (step 3).


STEP	COMPONENT	DESCRIPTION	ITEM #	COLORS	
1 2a 2b	All-In-One Post Kit <i>(with low-profile post sleeve, post cap and skirt)</i> <i>Available in WT.</i>		40" Trex Select All-In-One Post Kit 48" Trex Select All-In-One Post Kit 54" Trex Select All-In-One Post Kit	XX040440NTPS XX040448NTPS XX040454NTPS	WT, BK
1	Post Sleeve		4" x 4" x 39" Post Sleeve 4" x 4" x 108" Post Sleeve	XX040439APS XX0404108APS	WT, BK
2a 2b	Post Cap & Skirt		Flat 4" x 4" Post Sleeve Cap 4" x 4" Post Sleeve Skirt	PXXSQCAP4X4 PXXSKIRT4X4	WT, BK
3	Classic Rail & Round Aluminum Baluster Kit <i>(includes top rail, bottom rail, round aluminum balusters, adjustable foot block and mounting hardware)</i> <i>Available in WT or BK rails with aluminum balusters in BK.</i>		6' x 36" Rail & Baluster Kit—Horizontal 8' x 36" Rail & Baluster Kit—Horizontal 6' x 42" Rail & Baluster Kit—Horizontal 8' x 42" Rail & Baluster Kit—Horizontal 6' x 36" Rail & Baluster Kit—Stair 8' x 36" Rail & Baluster Kit—Stair 8' x 42" Rail & Baluster Kit—Stair	XXRD0636HSELKFS XXRD0836HSELKFS XXRD0642HSELKFS XXRD0842HSELKFS XXRD0636SSELKFS XXRD0836SSELKFS XXRD0842SSELKFS	WT, BK
3	T-Rail & Round Aluminum Baluster Kit <i>(includes top rail, bottom rail, round aluminum balusters, adjustable foot block and mounting hardware)</i> <i>Available in WT rails with aluminum balusters in BK.</i>		6' x 36" T-Rail & Baluster Kit—Horizontal 8' x 36" T-Rail & Baluster Kit—Horizontal 10' x 36" T-Rail & Baluster Kit—Horizontal 6' x 42" T-Rail & Baluster Kit—Horizontal 8' x 42" T-Rail & Baluster Kit—Horizontal 6' x 36" T-Rail & Baluster Kit—Stair 8' x 36" T-Rail & Baluster Kit—Stair 8' x 42" T-Rail & Baluster Kit—Stair	WTRD0636HSELTRK WTRD0836HSELTRK WTRD1036HSELTRK WTRD0642HSELTRK WTRD0842HSELTRK WTRD0636SSELTRK WTRD0836SSELTRK WTRD0842SSELTRK	WT
3	T-Rail & Square Composite Baluster Kit <i>(includes top rail, bottom rail, square composite balusters, adjustable foot block and mounting hardware)</i> <i>Available in WT rails with square balusters in WT. See below for actuals and metrics.</i>		6' x 36" T-Rail & Baluster Kit—Horizontal 8' x 36" T-Rail & Baluster Kit—Horizontal 10' x 36" T-Rail & Baluster Kit—Horizontal 6' x 42" T-Rail & Baluster Kit—Horizontal 8' x 42" T-Rail & Baluster Kit—Horizontal 6' x 36" T-Rail & Baluster Kit—Stair 8' x 36" T-Rail & Baluster Kit—Stair 8' x 42" T-Rail & Baluster Kit—Stair	WTSQ0636HSELTRK WTSQ0836HSELTRK WTSQ1036HSELTRK WTSQ0642HSELTRK WTSQ0842HSELTRK WTSQ0636SSELTRK WTSQ0836SSELTRK WTSQ0842SSELTRK	WT

See below for actuals and metrics.
6' x 36": 72 in x 36 in (182 cm x 914 mm), 8' x 36": 96 in x 36 in (243 cm x 914 mm), 10' x 36": 96 in x 36 in (305 cm x 914 mm),
6' x 42": 72 in x 42 in (182 cm x 106 cm), 8' x 42": 96 in x 42 in (243 cm x 106 cm)

ACCESSORIES	COMPONENT	ITEM #
     	Mounting Hardware for Cut Classic Rails—Horizontal Mounting Hardware for Cut Classic Rails—Stair T-Rail Bracket Pack—Horizontal T-Rail Bracket Pack—Stair T-Rail 0° Gasket Pack—Horizontal T-Rail 0° Gasket Pack—Stair	PBKENHZBKT PBKENSTBKT PTRLHBBTKIT PTRLSBTKTKIT TRL00HGASK TRL00SGASK
 	Classic 8' Aluminum Rail Stiffener (IRC) T-Rail 8' Aluminum Stiffener (IRC)	SELALRAILSTIFFENER SELALTRAILSTIFFNR
   	T-Rail 22.5° Left Angle Bracket Pack T-Rail 22.5° Right Angle Bracket Pack T-Rail 45° Birdsmouth Bracket Pack (when using 4x4 post sleeve) T-Rail 45° Birdsmouth Bracket Pack (when using All-In-One Post Kit)	TRL22LBKTKIT TRL22RBKTKIT TRLBMBKTKIT TRLBMBKTKITNT

XX = COLOR PREFIX BK Charcoal Black WT Classic White

TREX SELECT™ MESH RAILING

STEP	COMPONENT	DESCRIPTION	ITEM #	COLORS	
1 2a 2b	All-In-One Post Kit <i>(with low-profile post sleeve, post cap and skirt) Available in WT and BK.</i>		40" Trex Select All-In-One Post Kit 48" Trex Select All-In-One Post Kit 54" Trex Select All-In-One Post Kit	WT040440NTPS WT040448NTPS WT040454NTPS	WT, BK
1	Post Sleeve		4" x 4" x 39" Post Sleeve 4" x 4" x 108" Post Sleeve	XX040439APS XX0404108APS	WT, BK
2a 2b	Post Cap & Skirt		Flat 4" x 4" Post Sleeve Cap 4" x 4" Post Sleeve Skirt	PXXSQCAP4X4 PXXSKIRT4X4	WT, BK
3	Select Mesh Kits <i>(includes top rail, bottom rail, aluminum channels and gaskets for framing mesh, adjustable foot block and mounting hardware)</i> <i>Available in BK. Mesh infill sold separately. See below for actuals and metrics.</i> 6' x 36": 72 in x 36 in (182 cm x 914 mm) 8' x 36": 96 in x 36 in (243 cm x 914 mm) 6' x 44": 72 in x 44 in (182 cm x 111 cm) 8' x 44": 96 in x 44 in (243 cm x 111 cm)		6' x 36"/44" Select Mesh Kit—Horizontal 8' x 36"/44" Select Mesh Kit—Horizontal 6' x 36"/44" Select Mesh Kit—Stair 8' x 36"/44" Select Mesh Kit—Stair	BKMESH06HSELK BKMESH08HSELK BKMESH06SSELK BKMESH08SSELK	BK
4	Select Mesh Panels		6' x 36" Select Mesh Panel—Carbon Steel 8' x 36" Select Mesh Panel—Carbon Steel 6' x 60" Select Mesh Panel—Carbon Steel	CSMESH0636HZ CSMESH0836HZ CSMESH0660UNIV	BK

ACCESSORIES	DESCRIPTION	ITEM #	COLOR
Select Mesh Cut Kits <i>Horizontal/Stair: Use as an accessory for cut Select Mesh sections. Foot block sold separately.</i> <i>Universal Channel: Use for installing mesh in wood or other railing.</i>	Trex Select Mesh Accessory Kit—Horizontal Trex Select Mesh Accessory Kit—Stair	MESHACCYHSELK MESHACCYSSELK	BK
	Mesh Accessory Kit—Universal Channel	MESHUNIVSELK	

TREX SELECT™ ALUMINUM RAILING

STEP	COMPONENT	DESCRIPTION	ITEM #	COL
1+	Select Aluminum Posts & Sleeves With post cap and skirt <i>*Brackets sold separately</i> 	2.5" x 2.5" x 37" Aluminum End Post	XXSAL2537PEND	BK, BB
		2.5" x 2.5" x 37" Aluminum Line Post	XXSAL2537PLINE	
		2.5" x 2.5" x 37" Aluminum Corner Post	XXSAL2537PCNR	
		2.5" x 2.5" x 43" Aluminum End Post	XXSAL2543PEND	
		2.5" x 2.5" x 43" Aluminum Line Post	XXSAL2543PLINE	
		2.5" x 2.5" x 43" Aluminum Corner Post	XXSAL2543PCNR	
		2.5" x 2.5" x 37" Aluminum Blank Post*	XXSAL2537PB	BK, BB
		2.5" x 2.5" x 43" Aluminum Blank Post*	XXSAL2543PB	
		2.5" x 2.5" x 53" Aluminum Blank Post*—Stair	XXSAL2553PB	
		4" x 4" x 37" Aluminum Post Sleeve*	XXSAL040437PS	BK, BB
		4" x 4" x 43" Aluminum Post Sleeve*	XXSAL040443PS	
		4" x 4" x 53" Aluminum Post Sleeve*—Stair	XXSAL040453PS	
3	Select Aluminum Panels See below for actuals and metrics. 6' x 36": 72 in x 36 in (182 cm x 914 mm) 8' x 36": 96 in x 36 in (243 cm x 914 mm) 6' x 42": 72 in x 42 in (182 cm x 106 cm) 8' x 42": 96 in x 42 in (243 cm x 106 cm) 	6' x 36" Aluminum Panel—Horizontal	XXSALSQ636HPNL	BK, BB
		8' x 36" Aluminum Panel—Horizontal	XXSALSQ836HPNL	
		6' x 36" Aluminum Panel—Stair	XXSALSQ636SPNL	
		8' x 36" Aluminum Panel—Stair	XXSALSQ836SPNL	
		6' x 42" Aluminum Panel—Horizontal	XXSALSQ642HPNL	BK, BB
		8' x 42" Aluminum Panel—Horizontal	XXSALSQ842HPNL	
		6' x 42" Aluminum Panel—Stair	XXSALSQ642SPNL	
		8' x 42" Aluminum Panel—Stair	XXSALSQ842SPNL	

ACCESSORIES	DESCRIPTION	ITEM #	COL
Aluminum Bracket Packs	Fixed Bracket—Horizontal (4/pack) Swivel Bracket—Horizontal (4/pack) Swivel Bracket—Stair (4/pack) Cocktail Bracket (10/pack)	XXSALFHBKT XXSALHSWBKT XXSALSSWBKT XXSALCTBKT	BK, BB


XX = COLOR PREFIX BB Burnished Bronze BK Charcoal Black WT Classic White

TREX ENHANCE™ STEEL RAILING

STEP	COMPONENT	DESCRIPTION	ITEM #	COLOR
1+2	Enhance Steel Posts With post cap and skirt <i>*Brackets sold separately</i>	2" x 2" x 37" Steel End Post 2" x 2" x 37" Steel Line Post 2" x 2" x 37" Steel Corner Post 2" x 2" x 43" Steel End Post 2" x 2" x 43" Steel Line Post 2" x 2" x 43" Steel Corner Post 2" x 2" x 37" Steel Blank Post* 2" x 2" x 43" Steel Blank Post* 2" x 2" x 53" Steel Blank Post*—Stair	BKSTL202037ENPEND49 BKSTL202037ENPLINE49 BKSTL202037ENPCNR49 BKSTL202043ENPEND49 BKSTL202043ENPLINE49 BKSTL202043ENPCNR49 BKSTL202037ENP49 BKSTL202043ENP49 BKSTL202053ENP49	BK
		3" x 3" x 37" Steel End Post 3" x 3" x 37" Steel Line Post 3" x 3" x 37" Steel Corner Post 3" x 3" x 43" Steel End Post 3" x 3" x 43" Steel Line Post 3" x 3" x 43" Steel Corner Post 3" x 3" x 37" Steel Blank Post* 3" x 3" x 43" Steel Blank Post* 3" x 3" x 53" Steel Blank Post*—Stair	BKSTL303037ENPEND BKSTL303037ENPLINE BKSTL303037ENPCNR BKSTL303043ENPEND BKSTL303043ENPLINE BKSTL303043ENPCNR BKSTL303037ENP BKSTL303043ENP BKSTL303053ENP	
3	Enhance Steel Panels <i>See below for actuals and metrics.</i> 6' x 36": 72 in x 36 in (182 cm x 914 mm) 8' x 36": 96 in x 36 in (243 cm x 914 mm) 6' x 42": 72 in x 42 in (182 cm x 106 cm) 8' x 42": 96 in x 42 in (243 cm x 106 cm)	6' x 36" Steel Panel—Horizontal 6' x 36" Steel Panel—Stair 8' x 36" Steel Panel—Horizontal 8' x 36" Steel Panel—Stair 6' x 42" Steel Panel—Horizontal 6' x 42" Steel Panel—Stair 8' x 42" Steel Panel—Horizontal 8' x 42" Steel Panel—Stair	BKSTLSQ0636HENPNL BKSTLSQ0636SENPNL BKSTLSQ0836HENPNL BKSTLSQ0836SENPNL BKSTLSQ0642HENPNL BKSTLSQ0642SENPNL BKSTLSQ0842HENPNL BKSTLSQ0842SENPNL	BK
ACCESSORIES		DESCRIPTION	ITEM #	COLOR
Enhance Steel Bracket Packs	   	Fixed Bracket—Horizontal (4/pack) Swivel Bracket—Horizontal (2/pack-1 Top, 1 Bottom) Swivel Bracket—Stair (4/pack) Cocktail Bracket (10/pack)	BKSTLENFHBKT BKSTLENSWHBKT BKSTLENSWSBKT BKSTLENCTBKT	BK

Additional items are available in retail.

TREX® OUTDOOR LIGHTING

COMPONENT	ITEM #	COLORS
Solar Post Cap Light <i>Dimensions are nominals.</i> <i>See below for actuals and metrics.</i> [4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions]	  	XXSOLAR4X4CAP BK, VL, WT

XX = COLOR PREFIX BK Charcoal Black VL Vintage Lantern WT Classic White

TREX ALUMINUM ADA HANDRAIL

COMPONENT	DESCRIPTION	ITEM #	COLORS
	Elbow 180° Elbow ("Candy Cane") 5° Elbow 31° Elbow 34° Elbow 36° Elbow 90° Elbow Adjustable Elbow	 XXALADA180CCANE XXALADA05ELB XXALADA31ELB XXALADA34ELB XXALADA36ELB XXALADA90ELB2G XXALADAADJELB	BK, WT
	Wall Mount Inside Corner Mount	 XXALADAWMNT2G XXALADAICORNER2G	BK, WT
	Collar	 XXALADACL	BK, WT
	Wall Return 90°	 XXALADA90WR2G	BK, WT
	Handrail 1.375-in x 8-ft (34 mm x 243 cm) Handrail Straight 4-in (101 mm) Internal Connector Inline Termination Bracket Rail End Cap	 XXALADARAIL8 XXALINTCONN XXALADAINLINE XXALADACAP	BK, WT

TREX ALUMINUM GATES

COMPONENT	DESCRIPTION	ITEM #	COLORS
	Trex Signature® Adjustable Gate <i>Hardware sold separately. Available in BK and WT.</i>	36" Rail Height, Square Balusters,Adjustable up to 48" wide opening 36" Rail Height, Round Balusters, Adjustable up to 48" wide opening 42" Rail Height, Square Balusters, Adjustable up to 48" wide opening 42" Rail Height, Round Balusters, Adjustable up to 48" wide opening [Actual height 36" Rail: 36 in (914 mm); 42" Rail: 42 in (106 cm). Actual width is 47.5 in (120 cm) but can be cut to fit any width.]	XX36SQADJGATE XX36RDADJGATE XX42SQADJGATE XX42RDADJGATE BK, WT BK, WT
	Hardware Pack Hardware for attachment to wood post with composite sleeve or aluminum posts	2 Adjustable Self-Closing Hinges 1 Locking Hasp With Keys 	BKGATEHW BK

TREX® FASTENERS

COMPONENT	75 CT. ITEM #	350 CT. ITEM #	1400 CT. ITEM #	COLORS	COMPONENT	ITEM #	COLORS
Trex Color-Match Deck Screws » #10 x 2.5" (6.35 cm) » 75 ct. box, 350 ct. tub, 1,400 ct. tub » HexStix® bits included	TCM25BC75	TCM25BC350	TCM25BC1400	BC	Trex Color-Match Fascia Screws » 1-3/4" (4.4 cm) » 75 ct. box » Tools sold separately	TCMF175BC75	BC
	TCM25BD75	TCM25BD350	TCM25BD1400	BD		TCMF175BD75	BD
	TCM25CL75	TCM25CL350	TCM25CL1400	CL		TCMF175CL75	CL
	TCM25CS75	TCM25CS350	TCM25CS1400	CS		TCMF175CS75	CS
	TCM25FW75	TCM25FW350	TCM25FW1400	FW		TCMF175FW75	FW
	TCM25HY75	TCM25HY350	TCM25HY1400	HY		TCMF175HY75	HY
	TCM25IM75	TCM25IM350	TCM25IM1400	IM		TCMF175IM75	IM
	TCM25LR75	TCM25LR350	TCM25LR1400	LR		TCMF175LR75	LR
	TCM25PG75	TCM25PG350	TCM25PG1400	PG		TCMF175PG75	PG
	TCM25RH75	TCM25RH350	TCM25RH1400	RH		TCMF175RH75	RH
	TCM25SD75	TCM25SD350	TCM25SD1400	SD		TCMF175SD75	SD
	TCM25SF75	TCM25SF350	TCM25SF1400	SF		TCMF175SF75	SF
	TCM25SR75	TCM25SR350	TCM25SR1400	SR		TCMF175SR75	SR
	TCM25TP75	TCM25TP350	TCM25TP1400	TP		TCMF175TP75	TP
	TCM25TS75	TCM25TS350	TCM25TS1400	TS		TCMF175TS75	TS
	TCM25TT75	TCM25TT350	TCM25TT1400	TT		TCMF175TT75	TT
						TCMF175WW75	WW

XX = COLOR PREFIX

BC Biscayne/ Martis Valley	CL Rope Swing/ Carmel/ Malted Barley	CS Clam Shell Foggy Wharf/ Rainier	HY Honey Grove Island Mist/ Millstone/ Point Reyes	LR Lava Rock Pebble Beach/ Pebble Grey/ Whidbey	RH Rocky Harbor Saddle/Ocracoke/ Hatteras	SF Salt Flat Spiced Rum/ Cinnamon Cove/ Whiskey Barrel	TP Tide Pool	TS Toasted Sand/ Havana Gold	TT Tiki Torch	WW Woodgrain White
----------------------------	--------------------------------------	------------------------------------	--	---	---	--	--------------	------------------------------	---------------	--------------------

COMPONENT	ITEM #	COMPONENT	ITEM #	COMPONENT	ITEM #
Trex Decking Plug Screws » #10 x 2.5" (6.35 cm) » 75 ct. box, 350 ct. tub » Includes depth setters, black	TDPS25BK75 TDPS25BK350	Trex Enhance® Decking Plug Screws » 2" (5.0 cm) » 75 ct. box, 400 ct. tub, black » Tools sold separately	TENDPLGS2BK75 TENDPLGS2BK400	Trex Plug System Fascia Screws » 1-3/4" (4.4 cm) » 75 ct. box, black » Tools sold separately	TPSF175BK75

COMPONENT	80 CT. ITEM #	COLORS	416 CT. ITEM #	COLORS
Trex Enhance® Decking/Fascia Plugs » 80 ct., 416 ct.	TPSDFCC80 TPSDFCS80 TPSDFFW80 TPSDFGH80 TPSDFHY80 TPSDFPB80 TPSDFRH80 TPSDFS80 TPSDFS80 TPSDFTP80	CC CS FW GH HY PB RH SDEN TS TP	TPSDFCC416 TPSDFCS416 TPSDFFW416 TPSDFGH416 TPSDFHY416 TPSDFPB416 TPSDFRH416 TPSDFS80 TPSDFS80 TPSDFTP416	CC CS FW GH HY PB RH SDEN TS TP

COMPONENT	80 CT. ITEM #	COLORS	400 CT. ITEM #	COLORS	COMPONENT	80 CT. ITEM #	COLORS
Trex Decking Plugs » 80 ct., 400 ct.	TDPLGBC80 TDPLGCL80 TDPLGHG80 TDPLGHT80 TDPLGIM80 TDPLGIML80 TDPLGJA80 TDPLGLR80 TDPLGMS80 TDPLGMV80 TDPLGMY80 TDPLGPG80 TDPLGPR80 TDPLGRN80 TDPLGRS80 TDPLGSD80 TDPLGSF80 TDPLGSR80 TDPLGTT80 TDPLGWL80	BC CL HG HT IM IML JA LR MS MV MY PG PR RN RS SD SF SR TT WL	TDPLGBC400 TDPLGCL400 TDPLGHG400 TDPLGHT400 TDPLGIM400 TDPLGIML400 TDPLGJA400 TDPLGLR400 TDPLGMS400 TDPLGMV400 TDPLGMY400 TDPLGPG400 TDPLGPR400 TDPLGRN400 TDPLGRS400 TDPLGSD400 TDPLGSF400 TDPLGSR400 TDPLGTT400 TDPLGWL400	BC CL HG HT IM IML JA LR MS MV MY PG PR RN RS SD SF SR TT WL	Trex Fascia Plugs » 80 ct.	TPSFBC80 TPSFCL80 TPSFHG80 TPSFHT80 TPSFIM80 TPSFIML80 TPSFJA80 TPSFJR80 TPSFMS80 TPSFMY80 TPSFPG80 TPSFRN80 TPSFRS80 TPSFSDSL80 TPSFSF80 TPSFSR80 TPSFTT80 TPSFWL80 TPSFWW80	BC CL HG HT IM IML JA LR MS MY PG RN RS SDSL SF SR TT WL WW

XX = COLOR PREFIX

BC Biscayne	FW Foggy Wharf	IM Island Mist	MV Martis Valley	PR Point Reyes	SD Saddle Select	TT Tiki Torch
C.C Cinnamon Cove	GH Golden Hour	IML Island Mist Lineage	MY Malted Barley	RH Rocky Harbor	SF Salt Flat	WL Whiskey Barrel
CL Carmel	HG Havana Gold	JA Jasper	OC Ocracoke	RN Rainier	SR Spiced Rum	WW Woodgrain White
CS Clam Shell	HT Hatteras	LR Lava Rock	PB Pebble Beach	RS Rope Swing	TP Tide Pool	WY Whidbey
	HY Honey Grove	MS Millstone	PG Pebble Grey	SDEN Saddle Enhance	TS Toasted Sand	

TREX® FASTENERS

COMPONENT	ITEM #
Trex Hideaway® Universal Hidden Fastener » Glass-filled nylon	UNIVCONCLIP (50 sq. ft. box) DA00002 (500 sq. ft. pail)
Trex Hideaway® Steel Framing Hidden Fastener » Glass-filled nylon	ELVUNIVCLIP (50 sq. ft. box) ELVUNICLIPPAIL (500 sq. ft. pail)
Universal Starter Clip » 400 sq. ft. (37 sq. m.) bag	UNIVSTARTCLIP
Butt Joint Clip » 14/pk	BJC14PK
Groove Router Bit	ROUTBIT
Universal Fastener Installation Tool	ONESTEPTL

DECKING/FASCIA SYSTEM TOOLS

COMPONENT	ITEM #
Trex Color-Match Fascia Counterbore Tool Kit » w/ Drive Bits	TCMFCBKIT
Trex Plug System Fascia Counterbore Tool Kit » w/ Depth Setters	TPSFCBKIT
Trex Plug System Enhance Decking Tool Kit » w/ Depth Setters	TPSENDGBKIT

DECKING TOOLS

COMPONENT	ITEM #
HexStix Bit » 2-pk	THB2PK
Decking Depth Setter » 1-pk	TDDS1PK



TREXPRO® RESIDENTIAL LABOR LIMITED WARRANTY

Trex Company, Inc. (hereinafter “Trex”) warrants to the holder of this labor warranty (“Owner”), that if a breach of warranty occurs with respect to the Owner’s Trex® decking, railing, fascia, cladding and/or fasteners (the “Products”) under either the Trex Decking, Fascia and Cladding Limited Warranty, the Trex Aluminum and Composite Railing and Ancillary Products Limited Warranty, the Trex Steel Railing Limited Warranty, or the Trex Fasteners Limited Warranty (the “Warranties”), and provided that a TrexPro® contractor installed the Products on an individual residence (a "residential installation"), and properly registered the Warranties, Trex will pay for all reasonable labor expenses in replacing the defective Products. The term of this Warranty, beginning on the date of final installation of the Products, shall be as follows:

TABLE I

Contractor Level	If Trex decking OR Trex railing is installed (but not both)	If Trex decking AND Trex railing is installed*	If Trex decking, Trex railing AND Trex fasteners are installed	Product Line*
TrexPro Platinum	5 Years	10 Years	12 Years	Signature, Transcend, Select, Refuge
TrexPro Gold	4 Years	6 Years	8 Years	
TrexPro	2 Years	3 Years	4 Years	
TrexPro Platinum	2 Years	3 Years	4 Years	Enhance
TrexPro Gold				
TrexPro				

**Decking line governs warranty tier when BOTH Decking and Railing are installed.*

In order for railing to be covered under this labor warranty, and in order to qualify for the Trex decking AND Trex railing extended coverage, the railing (rails, infills and hardware) must be totally comprised of Trex Signature®, Trex Signature® X-Series™, Trex Transcend®, Trex Select® and/or Trex Enhance® railing materials.

In order for fasteners to be covered under this labor warranty, and in order to qualify for the Trex decking, railing AND fasteners extended coverage, the railing (rails, infills and hardware) must be totally comprised of Trex Signature®, Trex Signature® X-Series™, Trex Transcend®, Trex Select® and/or Trex Enhance® railing materials and all applicable fasteners that Trex supplies must be installed and cannot be substituted with fasteners supplied by others.

In order for fascia to be covered under this labor warranty, either Trex decking or Trex railing (or both) need to be installed.

This labor warranty covers only residential installations.

A "residential installation" is an installation of the product on an individual residence. A commercial installation is any installation of the Product other than on an individual residence.

COMMERCIAL INSTALLATIONS ARE EXCLUDED FROM THIS RESIDENTIAL LABOR LIMITED WARRANTY.

This labor warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by Owner, to a subsequent buyer of the property upon which the Product was originally installed.

PROCEDURE FOR MAKING A CLAIM UNDER THIS LIMITED WARRANTY

To make a claim under this labor warranty, Owner shall send to Trex, within the warranty period referred to above, a description of the claimed defect and proof of purchase to the following address:

Trex Company, Inc.
Customer Relations
2500 Trex Way
Winchester, VA 22601

Upon confirmation by an authorized Trex representative of a defect covered by one of the Warranties, the prior registration of Owner’s Warranties and compliance with all other terms of this labor warranty, Trex shall (1) replace the Product under the terms of the applicable Warranty, and (2) arrange for a local TrexPro contractor (approved by Owner) to replace, remove and dispose of the defective Product, at Trex’s cost.

This labor warranty may not be altered or amended except in a written instrument signed by Trex and Owner.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR ANY COST OTHER THAN LABOR COSTS TO REPLACE, REMOVE AND DISPOSE OF DEFECTIVE TREX PRODUCT. TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL, RELIANCE, STATUTORY, SPECIAL, PUNITIVE OR EXEMPLARY DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN TORT (INCLUDING, BUT NOT LIMITED TO, NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES OR SUCH DAMAGES COULD HAVE BEEN REASONABLY FORESEEN, IN CONNECTION WITH, ARISING OUT OF, OR AS A RESULT OF, THE SALE, DELIVERY, INSTALLATION, USE OR LOSS OF USE OF THE PRODUCTS INSTALLED HEREUNDER, OR FOR ANY LIABILITY OF OWNER TO ANY THIRD PARTY WITH RESPECT THERETO AND TREX'S LIABILITY FOR NON-PERSONAL INJURY CLAIMS WITH RESPECT TO DEFECTIVE PRODUCT SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCT UNDER THE APPLICABLE REGISTERED WARRANTY AND THE COST OF LABOR, AS DESCRIBED ABOVE IN THIS TREXPRO RESIDENTIAL LABOR LIMITED WARRANTY.

Any TrexPro contractor who replaces Owner’s Products under this labor warranty is independently owned and operated and is neither affiliated with nor an agent or representative of Trex. Trex makes no representations or warranties as to, and is not responsible for, the performance, acts or omissions of such contractor. It is the ultimate responsibility of the Owner to approve such contractor prior to any work commencing.

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province. This warranty shall only be applicable and enforceable in the United States of America and Canada.

Copyright © 2026 Trex Company, Inc.



TREX® DECKING, FASCIA & CLADDING LIMITED WARRANTY

Trex Company, Inc. (hereinafter “Trex”) warrants to the original end-use purchaser (“Purchaser”) that, for the applicable Warranty Period set forth in Table I below, when properly installed, used and maintained under normal use and service conditions and in accordance with Trex’s written instructions, Trex® product set forth in Table I below (the “Product”) shall perform as follows:

Physical Integrity: The Product shall be free from material defects in workmanship and materials, and shall not split, splinter, rot or suffer structural damage from termites or fungal decay.

Fade Resistance: The Product shall not fade in color from light and weathering exposure as measured by color change of (a) more than 5 Delta E (CIE) units for twenty-five years from the date of original purchase, and (b) more than 15 Delta E (CIE) units for the remainder of the Warranty Period, if any. While the Product is designed to resist fading, no material is fade proof when exposed to years of UV exposure and the elements. The Product is designed to resist fading under normal weather conditions and will not fade by more than the number of Delta E (CIE) units indicated above.

Stain Resistance: The Product shall be resistant to permanent staining resulting from spills of food and beverage items including ketchup, mustard, salad oils, tea, wine, coffee, fruit punch, barbeque sauce, sodas and other food and beverage related items that would typically be present on a residential deck, or mold and mildew naturally occurring in the environment, provided that such substances are removed from the Product with soap and water within one (1) week of exposure of the food or beverage to the surface or first appearance of the mold and mildew. Cleaning procedures are described in the Care & Cleaning Guide at www.trex.com.

Notwithstanding the foregoing, Trex does not warrant that the Product is stain-proof and does not warrant stain resistance resulting from spilled or otherwise applied food and beverage substances which are not properly cleaned as provided above within one (1) week of exposure. In addition, materials not covered in this stain resistance section of this Limited Warranty include abrasive compounds of acidic or basic pH, paints or stains, strong solvents, metallic rust or other abnormal deck use items, and non-food and non-beverage substances, including but not limited to, biocides, fungicides, plant food, bactericides, cement, concrete, mortar, stucco and colored chalk. Mold and mildew can settle and grow on any outdoor surface, including this Product. You should periodically clean your deck to remove dirt and pollen that can feed mold and mildew. This Limited Warranty does not cover mold and mildew which is not properly cleaned as provided above within one (1) week of first appearance.

Residential/Commercial Application: For purposes of this Limited Warranty, a “residential application” shall refer to an installation of the Product on an individual residence, and a “commercial application” shall refer to any installation of the Product other than on an individual residence.

Term of Limited Warranty: The term of this Limited Warranty for a Product (the “Warranty Period”) begins on the date of original purchase and shall be equal to the number of years set forth next to such Product in Table I below.

TABLE I

Product	Residential Warranty Period	Commercial Warranty Period
Trex Signature® Decking and Fascia, Trex Transcend® Decking and Fascia	50 Years	10 Years
Trex Refuge™ Decking	50 Years	10 Years
Trex® Cladding	50 Years	25 Years
Trex Select® Decking and Fascia, Trex® Composite Decking, Trex® Universal Fascia	35 Years	10 Years
Trex Enhance® Decking and Fascia	25 Years	10 Years

Transferability: With respect to a residential application, this Limited Warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Product was originally installed. With respect to a commercial application, this Limited Warranty is freely transferable to subsequent buyers of the property upon which the Product was originally installed.

EXCLUSIONS FROM WARRANTY COVERAGE

The Products must be stored, handled, installed, used and maintained in accordance with instructions provided by Trex, and this Limited Warranty is conditioned upon compliance with all such instructions. Copies of Trex’s Installation Guides, Technical Information and Care and Cleaning Guides are available from Trex at the address listed below. The materials may also be obtained on Trex’s website at trex.com. Any information or suggestion by Trex with respect to the Products concerning applications, specifications or compliance with codes and standards, including building or safety codes, is provided solely for Purchaser’s convenient reference and is made without any representation as to accuracy or suitability. Purchaser must verify and test the suitability of any information with respect to the Products for Purchaser’s specific application. This Limited Warranty does not cover defects caused by:

Exposure to Heat: Direct or indirect contact with extreme heat sources (over 275°F/135°C) may cause fading and may damage the surface of the Product, and any effects of such exposure are expressly excluded from coverage under this Limited Warranty.

Surface Damage: Never use metal shovels or sharp-edged tools to remove snow and ice on the surface of the Product. If the surface of the Product is damaged or punctured, this Limited Warranty will be voided.

Paint or Other Materials Applied to the Product: If paint, solvents or other coating materials are applied to the Product, this Limited Warranty will be voided.

Other Exclusions: This Limited Warranty shall not cover any condition attributable to: (1) improper installation of the Product and/or failure to abide by Trex’s installation guidelines, including but not limited to improper gapping; (2) use of the Product beyond normal use or service conditions, or in an application not recommended by Trex’s guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which the Product is installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.), environmental condition (such as air pollution, mold, mildew, etc.), staining from foreign substances other than food and beverages (such as dirt, grease, oil, etc.); (5) improper handling, storage, abuse or neglect of the Product by Purchaser, the transferee or third parties; (6) any fading or staining not on the walking surface of the Product (i.e., the underside or the ends of the Product); or (7) ordinary wear and tear.

Excluded Products: This Warranty shall not apply to any Trex products not listed in Table I, including, but not limited to, Trex Transcend® railing, Trex Enhance® railing, Trex Select® railing, Trex Signature® railing, Trex Decklighting products, TrexTrim™ products, Trex® Outdoor Lighting products, Trex Hideaway® Fasteners, and Trex® Fencing, which are excluded from this Limited Warranty. Each of these products has a separate Limited Warranty.

PROCEDURE FOR MAKING A CLAIM UNDER THIS LIMITED WARRANTY

To make a claim under this Limited Warranty, Purchaser must do the following:

1. If the Purchaser is making a claim relating to the Limited Warranty on stain resistance, Purchaser must do as follows:

(a) Purchaser must try to clean the affected area of the deck by using the cleaning procedures described above (and provided in more detail in the Care & Cleaning Guide found at www.trex.com) within one (1) week of exposure of the food or beverage to the Product or first appearance of the mold and mildew.

(b) If the affected area remains reasonably unsatisfactory after Purchaser has tried these cleaning procedures, then Purchaser must have the affected area of the deck professionally cleaned at Purchaser’s expense.

(c) If the affected area remains reasonably unsatisfactory after the professional cleaning, Purchaser may make a claim under this Limited Warranty, provided that such claim is made within thirty (30) days after the professional cleaning.

2. To make a claim under this Limited Warranty, Purchaser, or the transferee, shall send to Trex, within the Warranty Period referred to above, a written description and photographs of the claimed defect, proof of purchase, and if the claim relates to the Limited Warranty on stain resistance, proof of compliance with paragraph 1 above, to the following address:

Trex Company, Inc.
Customer Relations
2500 Trex Way
Winchester, VA 22601



TREX® DECKING, FASCIA & CLADDING
LIMITED WARRANTY (CONTINUED)

3. Upon confirmation by an authorized Trex representative of a valid claim hereunder, Trex's sole responsibility shall be, at its option, to either: (a) replace the affected Product with new Product in an amount equal to the volume (linear feet) of defective material; or (b) refund the portion of the purchase price paid by Purchaser for such affected Product (not including the cost of its initial installation). Replacement Products will be as close in color, design, and quality to the original Products as reasonably possible, in Trex's discretion and determination, but Trex does not guarantee an exact match as colors and designs may change and Trex's obligation as to replacement shall further be limited to replacement with the styles and colors of the Product that are available at the time of the replacement.

THE REMEDIES STATED IN THIS PARAGRAPH ARE PURCHASER'S SOLE AND EXCLUSIVE REMEDIES FOR ANY PRODUCT THAT FAILS TO CONFORM TO THIS LIMITED WARRANTY.

If a valid warranty claim hereunder is made during year eleven (11) or any year thereafter through the expiration of the applicable Warranty Period after the original purchase, recovery will be prorated in accordance with Table II, below. If Trex is providing replacement materials, it may elect to replace the percentage listed in Table II, below, of boards otherwise meeting the requirements for a claim, or if it is refunding the purchase price, it may elect to refund the percentage listed below in Table II of the purchase price of Product otherwise meeting the requirements for a claim.

TABLE II

Year of Claim	Warranty Period		
	50 Year	35 Year	25 Year
11	90%	80%	80%
12	90%	80%	80%
13	90%	80%	80%
14	90%	80%	60%
15	90%	60%	60%
16	90%	60%	60%
17	70%	60%	40%
18	70%	60%	40%
19	70%	40%	40%
20	70%	40%	20%
21	70%	40%	20%
22	70%	40%	20%
23	50%	20%	10%
24	50%	20%	10%
25	50%	20%	10%
26	50%	20%	–
27	50%	20%	–
28	50%	20%	–
29	30%	10%	–
30	30%	10%	–
31	30%	10%	–
32	30%	10%	–
33	30%	10%	–
34	30%	10%	–
35	30%	10%	–
36	20%	–	–
37	20%	–	–

Year of Claim	Warranty Period		
	50 Year	35 Year	25 Year
38	20%	–	–
39	20%	–	–
40	20%	–	–
41	20%	–	–
42	20%	–	–
43	10%	–	–
44	10%	–	–
45	10%	–	–
46	10%	–	–
47	10%	–	–
48	10%	–	–
49	10%	–	–
50	10%	–	–

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, TREX'S SOLE OBLIGATION UNDER THIS LIMITED WARRANTY SHALL BE, AT ITS OPTION, REPLACEMENT OF NON-CONFORMING PRODUCTS OR A REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE. PURCHASER ASSUMES ALL RISK WHATSOEVER AS TO THE RESULT OF THE USE OF THE PRODUCTS PURCHASED, WHETHER USED SINGULARLY OR IN COMBINATION WITH ANY OTHER PRODUCTS OR SUBSTANCES.

THIS LIMITED WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF DEFECTIVE PRODUCT OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.

No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Product other than as contained in this Limited Warranty. This Limited Warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL, RELIANCE, STATUTORY, SPECIAL, PUNITIVE OR EXEMPLARY DAMAGES, INCLUDING, BUT NOT LIMITED TO, LOST PROFITS, LOSS OF USE, LOSS OF TIME, LOSS OF REVENUES, INCONVENIENCE, LOSS OF BUSINESS OPPORTUNITIES, OR DAMAGE TO GOOD WILL OR REPUTATION DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES OR SUCH DAMAGES COULD HAVE BEEN REASONABLY FORESEEN, IN CONNECTION WITH, ARISING OUT OF, OR AS A RESULT OF, THE SALE, DELIVERY, INSTALLATION, USE OR LOSS OF USE OF THE PRODUCTS SOLD HEREUNDER, OR FOR ANY LIABILITY OF PURCHASER TO ANY THIRD PARTY WITH RESPECT THERETO AND TREX'S LIABILITY FOR NON-PERSONAL INJURY CLAIMS

WITH RESPECT TO DEFECTIVE PRODUCT SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCT OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This Limited Warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2024 Trex Company, Inc.



TREX® ALUMINUM AND COMPOSITE RAILING
AND ANCILLARY PRODUCTS LIMITED WARRANTY

Trex Company, Inc. (hereinafter “Trex”) warrants to the original end-use purchaser (“Purchaser”) that, for the applicable Warranty Period set forth in Table I below, when properly installed, used and maintained under normal use and service conditions, and in accordance with Trex's written instructions, Trex® product set forth in Table I below (the “Product”) shall be free from material defects in workmanship and materials, and shall not split, splinter, rot or suffer structural damage from termites or fungal decay.

Residential/Commercial Application: For purposes of this warranty, a “residential application” shall refer to an installation of the Product on an individual residence, and a “commercial application” shall refer to any installation of the Product other than on an individual residence.

Term of Limited Warranty: The term of this Limited Warranty for a Product (the “Warranty Period”) begins on the date of original purchase and shall be equal to the number of years set forth next to such Product in Table I below.

TABLE I

Product	Residential Warranty Period	Commercial Warranty Period
Trex Signature® Aluminum Railing, Trex Signature® X-Series™ Railing	50 Years	25 Years
Trex Signature® X-Series™ Cable Rail (Cable Infill/Assemblies ONLY)	10 Years	10 Years
Trex Transcend® Composite Railing	35 Years* or 25 Years*	10 Years
Select® Composite Railing, Trex Enhance® Composite Railing, Trex® Fencing, and TrexTrim™	25 Years	10 Years
Trex® Deck Lighting (LEDs and Housings)	7 Years	7 Years
Trex® Deck Lighting (Transformer, Timer, Dimmer, WiFi Controller, Solar Components)	3 Years	3 Years
Trex® Deck Lighting (Solar Battery)	1 Year	1 Year

* The 35-Year Residential Warranty Period for Trex Transcend Railing applies only in the United States of America, except in Arizona, Alabama, Arkansas, Florida, Louisiana, New Mexico, Missouri and Texas. In these States and all other Countries, Trex Transcend Railing has a 25-Year Residential Warranty Period.

Transferability: With respect to a residential application, this warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Product was originally installed. With respect to a commercial application, this warranty is freely transferable to subsequent buyers of the property upon which the Product was originally installed.

EXCLUSIONS FROM WARRANTY COVERAGE

Notwithstanding the foregoing, (a) the warranty for Trex® Deck Lighting Products (excluding Trex® Solar Post Cap Lights) is valid only in each case provided that a Trex transformer is used (with no warranty on any components if a Trex transformer is not used), and any other Trex® Deck Lighting parts or accessories not listed in Table I above shall not be warranted; (b) this warranty shall not apply to any Trex products not listed in Table I, including, but not limited to, Trex decking products, Trex cladding products, Trex fascia products, Trex Select™ Steel Mesh (infill panel), Trex Enhance™ Steel Railing, and Trex fasteners (which each have separate warranties); and (c) with respect to installations where the atmosphere is influenced by a body of salt water (or other contaminant conditions), failure to adhere to the cleaning guidelines available at www.trex.com will void this warranty with respect to any condition resulting from such failure.

The Product must be stored, handled, installed, used and maintained in accordance with instructions provided by Trex, and this Limited Warranty is conditioned upon compliance with all such instructions. Copies of Trex's Installation Guides, Technical Information and Care and Cleaning Guides are available from Trex at the address listed below. The materials may also be obtained on Trex's website at trex.com.

Any information or suggestion by Trex with respect to the Product concerning applications, specifications or compliance with codes and standards, including building or safety codes, is provided solely for Purchaser's convenient reference and is made without any representation as to accuracy or suitability. Purchaser must verify and test the suitability of any information with respect to the Product for Purchaser's specific application.

Trex does not warrant against, and is not responsible for, any condition attributable to: (1) improper installation of Product and/or failure to abide by Trex's installation guidelines; (2) use of Product beyond normal use and service conditions, or in an application not recommended by Trex's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which Product is installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.), environmental condition (such as air pollution, mold, mildew, etc.), exposure to corrosive elements (such as chemicals, pollution, etc.), or atmospheric contaminants (such as salt spray, salt air, etc.) if proper care and cleaning in accordance with the “Trex Signature®, Trex Signature® X-Series™”, Trex Select™ Aluminum Care and Cleaning Guide” was not adhered to, staining from foreign substances (such as dirt, grease, oil, etc.), tarnishing, or normal weathering (defined as exposure to sunlight, weather and atmosphere which will cause any colored surface to gradually fade, chalk, or accumulate dirt or stains); (5) variations or changes in color of Product; (6) improper handling, storage, abuse or neglect of Product by Purchaser, the transferee or third parties; (7) ordinary wear and tear; (8) vandalism; or (9) other causes beyond the control of Trex.

PROCEDURE FOR MAKING A CLAIM UNDER THIS LIMITED WARRANTY

To make a claim under this Limited Warranty, Purchaser, or the transferee, shall send to Trex, within the Warranty Period referred to above, a written description and photographs of the claimed defect and proof of purchase, to the following address:

Trex Company, Inc.
Customer Relations
2500 Trex Way
Winchester, VA 22601

Upon confirmation by an authorized Trex representative of a valid claim hereunder, Trex's sole responsibility shall be, at its option, to either: (a) replace the affected Product with new Product in an amount equal to the amount of defective material; or (b) refund the portion of the purchase price paid by Purchaser for such affected Product (not including the cost of its initial installation). Replacement Product will be as close in color, design and quality to the original Product as reasonably possible, in Trex's discretion and determination, but Trex does not guarantee an exact match as colors and designs may change and Trex's obligation as to replacement shall further be limited to replacement with the styles and colors of the Product that are available at the time of the replacement. The remedies stated in this paragraph are purchaser's sole and exclusive remedies for any product that fails to conform to this limited warranty.

Trex®

TREX® ALUMINUM AND COMPOSITE RAILING
AND ANCILLARY PRODUCTS LIMITED WARRANTY
(CONTINUED)

If a valid warranty claim hereunder is made during year eleven (11) or any year thereafter through the expiration of the applicable Warranty Period after the original purchase, recovery will be prorated in accordance with Table II, below. If Trex is providing replacement materials, it may elect to replace the percentage listed in Table II, below, of Product otherwise meeting the requirements for a claim, or if it is refunding the purchase price, it may elect to refund the percentage listed below in Table II of the purchase price of Product otherwise meeting the requirements for a claim.

TABLE II

Year of Claim	Warranty Period				
	50 Year	35 Year	25 Year	15 Year	10 Year
Recovery					
7	100%	100%	100%	80%	80%
8	100%	100%	100%	80%	80%
9	100%	100%	100%	60%	60%
10	100%	100%	100%	60%	60%
11	90%	80%	80%	40%	
12	90%	80%	80%	40%	
13	90%	80%	80%	20%	
14	90%	80%	60%	10%	
15	90%	60%	60%	10%	
16	90%	60%	60%		
17	70%	60%	40%		
18	70%	60%	40%		
19	70%	40%	40%		
20	70%	40%	20%		
21	70%	40%	20%		
22	70%	40%	20%		
23	50%	20%	10%		
24	50%	20%	10%		
25	50%	20%	10%		
26	50%	20%			
27	50%	20%			
28	50%	20%			
29	30%	10%			
30	30%	10%			
31	30%	10%			
32	30%	10%			
33	30%	10%			
34	30%	10%			
35	30%	10%			
36	20%				
37	20%				
38	20%				
39	20%				
40	20%				
41	20%				
42	20%				
43	20%				
44	20%				
45	20%				
46	20%				
47	20%				
48	10%				
49	10%				
50	10%				

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, TREX’S SOLE OBLIGATION UNDER THIS LIMITED WARRANTY SHALL BE, AT ITS OPTION, REPLACEMENT OF NON-CONFORMING PRODUCT OR A REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE. PURCHASER ASSUMES ALL RISK WHATSOEVER AS TO THE RESULT OF THE USE OF THE PRODUCT PURCHASED, WHETHER USED SINGULARLY OR IN COMBINATION WITH ANY OTHER PRODUCTS OR SUBSTANCES.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, THIS LIMITED WARRANTY SHALL NOT COVER, AND TREX SHALL NOT BE RESPONSIBLE FOR, COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF DEFECTIVE PRODUCT OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING, BUT NOT LIMITED TO, LABOR AND FREIGHT.

No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Product other than as contained in this Limited Warranty. This Limited Warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL, RELIANCE, STATUTORY, SPECIAL, PUNITIVE OR EXEMPLARY DAMAGES, INCLUDING, BUT NOT LIMITED TO, LOST PROFITS, LOSS OF USE, LOSS OF TIME, LOSS OF REVENUES, INCONVENIENCE, LOSS OF BUSINESS OPPORTUNITIES OR DAMAGE TO GOOD WILL OR REPUTATION DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING, BUT NOT LIMITED TO, NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES OR SUCH DAMAGES COULD HAVE BEEN REASONABLY FORESEEN, IN CONNECTION WITH, ARISING OUT OF, OR AS A RESULT OF, THE SALE, DELIVERY, INSTALLATION, USE OR LOSS OF USE OF THE PRODUCT SOLD HEREUNDER, OR FOR ANY LIABILITY OF PURCHASER TO ANY THIRD PARTY WITH RESPECT THERETO AND TREX’S LIABILITY FOR NON-PERSONAL INJURY CLAIMS WITH RESPECT TO DEFECTIVE PRODUCT SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCT OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This Limited Warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2024 Trex Company, Inc.

Trex®

TREX® STEEL RAILING
LIMITED WARRANTY

Trex Company, Inc. (hereinafter “Trex”) warrants to the original end-use purchaser (“Purchaser”) that, for the applicable Warranty Period set forth in Table I below, when properly installed, used and maintained under normal use and service conditions, and in accordance with Trex’s written instructions, Trex® product set forth in Table I below (the “Product”) shall be free from material defects in workmanship and materials, and shall not crack, peel, blister, flake, split, or suffer excessive corrosion. Corrosion is termed extensive when there are multiple rust-through perforations on the same piece of Product.

Residential/Commercial Application: For purposes of this warranty, a “residential application” shall refer to an installation of the Product on an individual residence, and a “commercial application” shall refer to any installation of the Product other than on an individual residence.

Term of Limited Warranty: The term of this Limited Warranty for a Product (the “Warranty Period”) begins on the date of original purchase and shall be either (1) for a period of 1 year for Product located within 1 mile or less from a saltwater coast line OR (2) for Product located more than 1 mile from a saltwater coastline, equal to the number of years set forth next to such Product in Table I below.

TABLE I

Product	Residential Warranty Period	Commercial Warranty Period
Trex Enhance™ Steel Railing, Trex Select™ Steel Mesh Railing (Mesh Infill Panel ONLY)	15 Years	10 Years

Transferability: With respect to a residential application, this warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Product was originally installed. With respect to a commercial application, this warranty is freely transferable to subsequent buyers of the property upon which the Product was originally installed.

EXCLUSIONS FROM WARRANTY COVERAGE

Notwithstanding the foregoing, (a) this warranty shall not apply to any Trex products not listed in Table I, including, but not limited to, Trex decking products, Trex cladding products, Trex fascia products, Trex fasteners, Trex Deck Lighting products, Trex Signature® railing, Trex Signature® X-Series™ railing, Trex Transcend® railing, Trex Select™ aluminum and composite railing, Trex Enhance® composite railing, Trex Fencing and TrexTrim (which each have separate warranties); (b) with respect to installations where the atmosphere is influenced by a body of salt water (or other contaminant conditions), failure to adhere to the cleaning guidelines available at www.trex.com will void this warranty with respect to any condition resulting from such failure; and (c) Products that have had direct contact with salt water are excluded from this warranty.

The Product must be stored, handled, installed, used and maintained in accordance with instructions provided by Trex, and this Limited Warranty is conditioned upon compliance with all such instructions. Copies of Trex’s Installation Guides, Technical Information and Care and Cleaning Guides are available from Trex at the address listed below. The materials may also be obtained on Trex’s website at trex.com.

Any information or suggestion by Trex with respect to the Product concerning applications, specifications or compliance with codes and standards, including building or safety codes, is provided solely for Purchaser’s convenient reference and is made without any representation as to accuracy or suitability. Purchaser must verify and test the suitability of any information with respect to the Product for Purchaser’s specific application.

Trex does not warrant against, and is not responsible for, any condition attributable to: (1) improper installation of Product and/or failure to abide by Trex’s installation guidelines; (2) use of Product beyond normal use and service conditions, or in an application not recommended by Trex’s guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which Product is installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.), environmental condition (such as air pollution, mold, mildew, etc.), exposure to corrosive elements or atmospheric contaminants (such as salt spray, salt air, chemicals (including pool and ice removal chemicals), pollution, etc.), staining from foreign substances (such as dirt, grease, oil, etc.), tarnishing, welding, lawn care equipment damage, or normal weathering (defined as exposure to sunlight, weather and atmosphere which will cause any colored surface to gradually fade, chalk, or accumulate dirt or stains); (5) variations or changes in color of Product; (6) surface corrosion from scratches, nicks and dents; (7) improper handling, storage, abuse or neglect of Product by Purchaser, the transferee or third parties; (8) ordinary wear and tear; (9) vandalism; or (10) other causes beyond the control of Trex.

PROCEDURE FOR MAKING A CLAIM UNDER THIS LIMITED WARRANTY

To make a claim under this Limited Warranty, Purchaser, or the transferee, shall send to Trex, within the Warranty Period referred to above, a written description and photographs of the claimed defect and proof of purchase, to the following address:

Trex Company, Inc.
Customer Relations
2500 Trex Way
Winchester, VA 22601

Upon confirmation by an authorized Trex representative of a valid claim hereunder, Trex’s sole responsibility shall be, at its option, to either: (a) replace the affected Product with new Product in an amount equal to the amount of defective material; or (b) refund the portion of the purchase price paid by Purchaser for such affected Product (not including the cost of its initial installation). Replacement Product will be as close in color, design and quality to the original Product as reasonably possible, in Trex’s discretion and determination, but Trex does not guarantee an exact match as colors and designs may change and Trex’s obligation as to replacement shall further be limited to replacement with the styles and colors of the Product that are available at the time of the replacement. The remedies stated in this paragraph are purchaser’s sole and exclusive remedies for any product that fails to conform to this limited warranty.



TREX® STEEL RAILING
LIMITED WARRANTY (CONTINUED)

If a valid warranty claim hereunder is made during year eleven (11) or any year thereafter through the expiration of the applicable Warranty Period after the original purchase, recovery will be prorated in accordance with Table II, below. If Trex is providing replacement materials, it may elect to replace the percentage listed in Table II, below, of Product otherwise meeting the requirements for a claim, or if it is refunding the purchase price, it may elect to refund the percentage listed below in Table II of the purchase price of Product otherwise meeting the requirements for a claim.

TABLE II

Year of Claim	Recovery
11	80%
12	80%
13	80%
14	60%
15	60%
16	60%
17	40%
18	40%
19	40%
20	20%
21	20%
22	20%
23	10%
24	10%
25	10%

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, TREX’S SOLE OBLIGATION UNDER THIS LIMITED WARRANTY SHALL BE, AT ITS OPTION, REPLACEMENT OF NON-CONFORMING PRODUCT OR A REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE. PURCHASER ASSUMES ALL RISK WHATSOEVER AS TO THE RESULT OF THE USE OF THE PRODUCT PURCHASED, WHETHER USED SINGULARLY OR IN COMBINATION WITH ANY OTHER PRODUCTS OR SUBSTANCES.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, THIS LIMITED WARRANTY SHALL NOT COVER, AND TREX SHALL NOT BE RESPONSIBLE FOR, COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF DEFECTIVE PRODUCT OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING, BUT NOT LIMITED TO, LABOR AND FREIGHT.

No person or entity is authorized by Trex to make, and Trex shall not be bound by, any statement or representation as to the quality or performance of Product other than as contained in this Limited Warranty. This Limited Warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL, RELIANCE, STATUTORY, SPECIAL, PUNITIVE OR EXEMPLARY DAMAGES, INCLUDING, BUT NOT LIMITED TO, LOST PROFITS, LOSS OF USE, LOSS OF TIME, LOSS OF REVENUES, INCONVENIENCE, LOSS OF BUSINESS OPPORTUNITIES OR DAMAGE TO GOOD WILL OR REPUTATION DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING, BUT NOT LIMITED TO, NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES OR SUCH DAMAGES COULD HAVE BEEN REASONABLY FORESEEN, IN CONNECTION WITH, ARISING OUT OF, OR AS A RESULT OF, THE SALE, DELIVERY, INSTALLATION, USE OR LOSS OF USE OF THE PRODUCT SOLD HEREUNDER, OR FOR ANY LIABILITY OF PURCHASER TO ANY THIRD PARTY WITH RESPECT THERETO AND TREX’S LIABILITY FOR NON-PERSONAL INJURY CLAIMS WITH RESPECT TO DEFECTIVE PRODUCT SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCT OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This Limited Warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2024 Trex Company, Inc.

OUR PRODUCTS

Decking
Deck Railing
Cladding
Fascia
Outdoor Lighting
Fasteners & Accessories

Deck Drainage
Outdoor Furniture
Outdoor Kitchens
Pergola
Fencing

Lattice
Spiral Stairs
Privacy Screens
Shade Panels
Cornhole

OUR TOOLS

Color Selector
Cost Calculator
Decking Comparison

Deck Designer
AR Visualizer
Railing Designer



Visit [trex.com](https://www.trex.com) or call 1-800-BUY-TREX

FIND US ON



© 2026 Trex Company, Inc. All rights reserved. Trex®, the Trex logo, TrexPro®, TrexEnhance®, Trex Select®, Trex Transcend®, Trex Transcend® Lineage™, Trex Signature®, Trex® Outdoor Lighting, Trex Hideaway®, Trex® Pergola, Trex® Outdoor Kitchens, Trex® Outdoor Furniture, Trex® Cladding, Trex® Fascia, Trex® Spiral Stairs, Trex® Cornhole, Trex® Lattice and Trex® Fencing are either federally registered trademarks, trademarks or trade dress of Trex Company, Inc., Winchester, Virginia or its licensees.
© 2023 - 2025 Warner Bros. Discovery, Inc. or its subsidiaries and affiliates. All trademarks are the property of their respective owners. All rights reserved.

Trex®