





ABOUT PLASTPRO

We choose a door for its aesthetic qualities, but doors offer so much more than a cohesive look for our homes. Our front doors are the gateway to welcoming guests and loved ones. From ushering us into the start of the day to welcoming us back to our homes and families at the end of the day, doors are an important and impactful part of the house. They reflect our style and offer protection for the people that matter most. We want you to choose a door that best represents you, makes you feel secure, and fits your needs.

Since 1994, Plastpro has focused on providing a superior product with the best value, technology, and commitment to our customers. Wood and steel doors were historically preferred in the industry, but both come with long-term problems, such as rotting, rusting, and weather damage. Our fiberglass doors are the best solution for these longevity issues. They are not susceptible to weather damage, require less maintenance, and offer higher performance ratings. We've introduced the first door with composite stiles and rails, HydroShield Technology, and composite Polyfiber (PF) Frames to the industry. Our doors feature a full-length LVL block that provides stronger rigidity and allows a range of door locks and hardware to be installed for increased security. We carry a wide variety of designs, sizes, and styles to elevate any home.

From the beginning, we've been committed to providing superior products and to creating opportunities. Our goal is to create positive change for our employees, customers, and our community. We believe in doing good for the world and making a difference. For us, success is only as good as the good it creates. We've continuously partnered with Habitat for Humanity to create affordable, green houses for low-income families across the nation. We've donated more than 500 doors to various chapters of Habitat for Humanity and other non-profit organizations. With a Plastpro door, you not only acquire a beautiful door with the best quality, you join us in giving back to others.

THE DOOR OF BEAUTY & INNOVATION



TABLE OF CONTENTS

- **3 PLASTPRO'S QUALITY**
- 4 7 **PF™ DOOR FRAMES**
- 8 11 DOOR SERIES OVERVIEW
- 12 13 SPECIALTY SERIES OVERVIEW (FIRE RATED, HVHZ, TRIMABLE & RESIDENTIAL ADA)



152 - 154 STAIN & PAINT GUIDES 155 TESTING INFORMATION

PATENTED HYDROSHIELD™ TECHNOLOGY

Our exclusive HydroShield Technology protects our doors against moisture and humidity infiltration by creating a fully composite barrier that encases and protects the door on all six sides. It prevents warping, delamination, corrosion, rotting, and the buildup of mold and mildew. When paired with our Polyfiber (PF) Door Frames, our doors with HydroShield Technology create an impenetrable entryway.

1 FIBERGLASS REINFORCED DOOR SKIN

Our exclusive formula is measured precisely to ensure each skin is produced to the highest quality. We offer many stunning design options, and customized panel configurations are possible. The skins require little maintenance and will not splinter, dent, warp, rot, or rust. Choose a door skin from a variety of grains that can be painted or stained.

2 FULL-LENGTH COMPOSITE STILES

Our full-length, composite stiles protect the door from external moisture to prevent warping or rotting. They have twice the screw-holding strength of wood.

3 COMPOSITE TOP & BOTTOM RAILS

High-strength, composite top and bottom rails prevent moisture from seeping into the door and stop the buildup of mold.

EXTENDED LOCKBLOCK

Plastpro's full-length LVL allows any type of lock to be placed for increased security. Our 8/0 doors have a steel bar in addition to the LVL to help increase the structure's rigidity.

POLYURETHANE FOAM CORE

Our advanced, CFC-free, high-density, polyurethane foam core enhances the door's soundproofing capabilities and provides insulation up to six times greater than wood doors.

BACKED BY WARRANTY

We are proud to offer one of the best warranties in the industry. Plastpro products are held to high standards. We stand behind our products and guarantee the best quality to meet your performance expectations.

PLASTPRO'S QUALITY





PLASTPRO'S QUALITY

PF™ DOOR FRAMES

To have a complete entry system, it is important to consider the material of the door frame. Many doors are hung in either wood or steel frames, which are prone to the same problems as the doors themselves. Wood frames can warp, rot, and crack, while steel frames can rust and dent. You don't want to install a door that will fail, nor do you want to install a frame that will fail.

Plastpro's Polyfiber (PF) Door Frames offer an innovative alternative to traditional door jambs. Our uniquely formulated door frame combines the beauty of wood with the strength of steel. The material is durable, long-lasting, and is more thermally resistant than either wood or metal. The advanced system can be installed the same way as traditional wood jambs with no added hassle. When a fiberglass door is used with a PF Frame, they create an impenetrable entryway.











FEATURES AND BENEFITS

- Equipped with HydroShield Technology, it will not absorb or wick moisture, and prevents warping, rotting, and splitting.
- Frame cannot be infested with termites at any point along the structure.
- Has twice the screw holding power of traditional wood door frames.
- More versatility in design. Available in various lengths and widths that can be stained as well as painted.
- Continuous piece with no finger joint and is 25 percent more rigid than wood frames.
- Maintenance free and energy efficient.

	-
-	
	MULL POSTS







FRAME DECAY COMPARISON



PLASTPRO PF™ DOOR FRAME *with Hydroshield Technology™



TRADITIONAL WOOD FRAME Susceptible to rotting, warping, and decay



• 1" x 2½" • 1" x 3"



• 4%/16"

PF[™] DOOR FRAMES















MULL POST COVERS (EXT.) • 1 ½" x 1" • 2" x 1"





PE™ ARCH HEADERS



PFTM DOOR FRAMES

GRAINING CHART



Plastpro's Polyfiber (PF) Door Frames are made of the highest quality, composite material and are available in a variety of grain options that match our doors. For a detailed list of available grains and products, please refer to the chart below.

	OAK GRAIN	FIR GRAIN	MAHOGANY	PRIMED	WHITE CAPPED	PVC - WHITE
4 9⁄16" DOOR FRAME	•	•	•	•	•	
51/4" DOOR FRAME	•			•	•	
6%6" DOOR FRAME	•	•	•	•	•	
7¼" DOOR FRAME	•			•	•	
WM180 BRICK MOULD	•	•	•	•	•	
WM176 FLORIDA BRICK MOULD	•			•		
1" x 2" STUCCO MOULD				•		
NAILING FIN	•			•	•	
J-CHANNEL	•			•	•	
FLAT CASING	•			•	•	
FLAT CASING J-CHANNEL	•			•	•	
TRIM BOARDS						٠
TRANSOM SILLS	•	•	•	•	•	
MULL POSTS	•	•	•	•	•	
MULL POST COVERS (EXTERIOR)	•	•		•	•	
MULL POST CAP	•					٠
STORM DOOR ADAPTERS	•	•	•	•	•	
DOOR FRAME EXTENSIONS	•	•	•	•	•	
SIDELITE STOPPER	•			•		

ASTRAGAL



DOOR SERIES OVERVIEW



lastpro's Standard Door Series' offer a wide selection of fiberglass entry doors that feature the beautiful look of wood, with a longer lifespan. Offered in a variety of rich, grain textures, our fiberglass doors require less maintenance, offer longer warranties, and are more energy-efficient than traditional wood or steel entry doors. To set ourselves apart from both traditional entry door materials and our competitors, Plastpro doors are equipped with HydroShield Technology, which creates a full, composite barrier that encases and protects the fiberglass door from moisture on all six sides.

This innovative and durable design is available in the look of any wood grain you could desire- from traditional Oak and Mahogany, to contemporary Fir, with several options in between. For those who prefer the more minimal look of a steel door, we also offer our Smooth Series, with no grain pattern. Our Standard Door Series' also include flush glazed and direct glazed options that maximize natural light.

LIMITED SERIES



Our Limited Series was specifically created to showcase some of the richest, most luxurious graining available

CRAFTSMAN SERIES



The Craftsman Series pulls design inspiration from 20th century architecture, for simple and classic statement doors.

MAHOGANY SERIES



The Mahogany Series combines a beloved, wood texture with timeless styles for a traditional, warm addition to the home.

MODERN SERIES



The Modern Series makes contemporary curb appeal an effortless achievement.

RUSTIC SERIES



Our Rustic Series was designed to provide classic charm, while bringing traditional, upscale appeal to any home.



OAK SERIES



The rich, grain texture of our Oak Series will give any home a classic look.

SMOOTH SERIES

WHITE OAK SERIES



Our Smooth Series doors are made with a pre-pigmented, white skin. Its simplicity gives a modern design and feel to any home.



The White Oak Series combines the best features from our Smooth and Oak Grain doors. Any home can enjoy a rich, oak texture in a pre-pigmented, white skin.

ONELITE SERIES


NOVA SERIES




Our Onelite Series features a fine, flush glazed glass with a removable stop to allow the glass to be switched without changing the entire door.



The Nova Series features glass that is directly glazed into the door. This design creates a seamless blend between the glass and door, allowing the most scenery and natural light into the home.



SPECIALTY SERIES



lastpro's Specialty Series is a selection of fiberglass door models from our standard series that have been created to test and comply with specific safety and performance standards. Our Specialty Series includes Fire Rated, Trimmable, HVHZ Impact, Residential ADA, and Commercial ADA compliant models. (For Commercial ADA doors, see p.136-141).

Read more about each category available in the series below. Please note the icon that represents each category here. If you see this icon below a model on one of our standard series pages, that means the door is also available as a specialty item. For example, if a model is marked with a flame below, it is available as both a standard and Fire Rated door. Please contact us or look at www.plastproinc.com for Specialty Series sizing, as the specialty models may not be available in every standard model width.

FIRE RATED



Made with fire-resistant composite, Plastpro's Fire Rated doors are extremely durable. Our doors are tested and comply with safety and performance standards to withstand fire for a minimum of 20 minutes. Certain models are available to hold off fire for a minimum of 60 and 90 minutes.



Contact us for stock availability

HVHZ IMPACT



Plastpro's High Velocity Hurricane Zone (HVHZ) Impact Doors are created, tested, and certified to meet the most stringent wind and impact code requirements in the nation. Our innovative R&D Department has pioneered a unique, patent-pending process whereby a missile-proof shield is built in to reinforce the door.



TRIMMABLE



Our Trimmable Series is designed to fit in a variety of existing entrywaysperfect for remodels with non-standard sizing. Contractors can make adjustments up to 2" in height and width to the door. Trimmable doors are available in Oak and Smooth skins.



RESIDENTIAL ADA



Our Residential ADA doors are offered in a variety of compliant styles. The Residential ADA Series features a 10.25" bottom rail that allows for a generously sized kick plate (up to 10" tall) to be installed on a range of our popular doors, in many designs and sizes. We can also include reinforced blocking through a special order.



DOORLITE OVERVIEW



beautifully designed entryway helps set the stage for the rest of the home and creates a welcoming passage from public space to private abode. Nothing accompanies that transition better than our exclusive glass designs, which improve the look and value of your home.

Our doorlites are composed of a piece of decorative glass sealed between two pieces of tempered safety glass that provides exceptional security, soundproofing, and thermal performance. The state-of-the-art Warm Edge spacer system provides a seal that protects and insulates your door and home for years to come. Unlike the competition, our metal caming includes a gasket that cushions and protects the glass from chipping, cracking, and rattling during door movement.

INSULATING SYSTEM

All Plastpro Decorative Doorlites are made with Super Spacer® Cushion Edge™, a flexible, U-shaped, silicone foam tape product used to wrap around and cushion our center decorative panel. Featuring a vapor barrier backing, the product, when used in combination with Hot Melt butyl, provides a superior Warm-Edge seal.

FEATURES AND BENEFITS

- Warm-Edge Benefit: Superior silicone foam insulation, low thermal conductivity
- Silicon Foam Features: Excellent UV resistance and extreme temperature performance
- Dual-Seal Performance: Chamfered corners for increased sealant depth
- Tempered Safety Glass for your peace of mind



THERMOSET STRUCTURAL FOAM CONTAINING NO METAL WITH INTEGRAL 3A DESICCANT

CHAMFERED CORNER

*This illustration applies to our triple pane glass only.

GLASS CAMING OPTIONS

Our exclusive glass designs are offered with different caming options to match a variety of hardware finishes.






WROUGHT IRON

PATINA

DECORATIVE DOORLITES







ZINC

CAMELIA





Camelia's wrought iron curves create symmetry, uniformity, and a sense of balance. Against a waterfall textured background, the design gives the exterior of your home a modern and sophisticated charm, while delivering the ultimate level of privacy.

1. Wrought Iron

2. Waterfall Tempered Glass



ARTESANO BREEZE

CAMING: ZINC

TRANSOM: AVAILABLE




Artesano's subtle hint of amber colored glass creates a warm, welcoming feeling in any home. This arrangement is the ideal balance between a simple pattern and an artful combination of textures.

1. Clear Hammer (100HS)	3. Clear Bevel
2. Zinc Caming	4. Sea Spray

PRIVACY RATING

PRISCILLA

CAMING: WROUGHT IRON TRANSOM: AVAILABLE



Priscilla's smooth, swirl design pays tribute to Renaissance style A combination of wrought iron and bubble glass lend the design a touch of grandeur, which is perfect for adding elegant flair to any home.


1. Wrought Iron

2. Little Bubble Tempered Glass

			9	
PRIVACY R	ATING			
INCREASING	6 OBSCURITY	 		->

BRENTWOOD

TRANSOM: AVAILABLE CAMING: ZINC OR PATINA



A classically inspired arrangement, our Brentwood glass epitomizes style. With bevel swirls and a bold centerpiece, all outlined by a crystal granite border, Brentwood can be appreciated in any home.


1. Baroque 2. Clear Bevel 3. Bright Zinc or Patina Caming 4. Granite





CASTILE

CAMING: PATINA TRANSOM: AVAILABLE



Inspired by the historic Spanish kingdom, Castile is an ornate, baroque style glass that balances the intricacy of its centerpiece with a straight-lined, beveled border. Castile is the epitome of modern design.

1. Granite	3. Patina Caming
2. Baroque	4. Beveled

PRIVACY RATING INCREASING OBSCURITY ----->

SOLSTICE

CAMING: PATINA TRANSOM: AVAILABLE



Our Solstice pattern is a beautiful, simple arrangement of frosted glass bordered by patina caming- designed to leave a lasting impression.

1. Sable 3.0 MM Outer Border	4. Patina Caming
2. Clear Pencil Bevel for Inner Border	

3. Sable Bevels Center Background

PRIVACY RATING INCREASING OBSCURITY



INCREASING OBSCURITY

INCREASING OBSCURITY

KENSINGTON

CAMING: PATINA TRANSOM: AVAILABLE



Kensington brings a classic, English charm to any door. A combination of frosted glass and subtle line patterns creates a distinctly beautiful glass.


- 1. 100 Water
- 4. Sandblasted Glass
- 2. Clear Bevel
- 3. Narrow Reed
- 5. Patina Caming

----->



SPRING

CAMING: PATINA TRANSOM: AVAILABLE



This chevron pattern arrangement incorporates clean lines and two-toned glass colors. Named for the pale gray, water-like glass texture that gives a sense of renewal reminiscent of spring.

- 1. Light Water 2. Clear Chord
- 3. Patina Caming 4. Pale Gray Water

9

PRIVACY RATING INCREASING OBSCURITY



SOLUTION DOORLITE SERIES





CLEAR / LoE

WHITE LAMINATE



SABLE

7" x 64" *

ROOFTOP

FRAME OPTIONS









22" x 8"



22" x 3"



The Solution Doorlite Series is perfect for those who want a completely unique front door. These doorlite frames have a flat, modern profile and are available in multiple sizes with six different glass options, making it easy to create a custom, contemporary design.

The screwless design eliminates holes and plugs and saves valuable installation time. The frame features a patented interlocking joint and compression seal that adheres to the door and creates a powerful compression seal and bond. It safely locks decorative glass in place, while beautifully illuminating and bringing out the features of the glass.


The Solution Doorlite Series was created to complement our Shaker doors from the Craftsman Series, and are available in a white or tan textured, vertical, grain pattern.

FEATURES AND BENEFITS

- No unsightly plug or screw holes
- Available in white or tan
- Textured, vertical grain pattern
- Matches various architectural styles

• Shaker-style low profile

- Patented frame system
- Built to resist warping
- Easy installation- saves on labor cost



FRAME AND GLASS SELECTION





SANDBLAST





NARROW REED



* AVAILABLE WITH DECORATIVE GLASS OPTIONS.


FRAME CONFIGURATION EXAMPLES


















STAGGERED 5 LITE 8″ × 6″



STAGGERED 4 LITE 8″ × 8″

STAGGERED 3 LITE *3" x 22"*



MODERN 4 LITE 22" × 3"



FOUR LITE 22" x 8"





FOUR LITE 22" x 10"





4 LITE BOTTOM 22" x 15" & 22" x 3"

MODERN 6 LITE 22" × 3"



SINGLE TOP LITE W/ **4 LITE BOTTOM** 22" x 15" & 22" x 3"









THREE LITE 22″ x 15″

STAGGERED TWIN LITE 8″ x 36″


Smooth Series • DRS0080 • 22" x 8" Solution Frame w/ Translucent Glas



LIMITED SERIES







TEAK GRAIN

ur Limited Series was created to showcase the richest, most luxurious graining available. This line includes Knotty Alder, which features a rich grain patterned with knots, and Teak, a worldwide favorite for its beautiful, straight, yet occasionally wavy or interlocked grain patterns. Giving off a natural luster and luxurious feeling, these doors are status symbols.

ALL DOORS ARE SHOWN PRE-FINISHED

DOOR OVERVIEW

• IN STOCK • EXTENDED LEAD TIME

MODERN TEAK MILAN DOOR




DMT51



DMT5170



DRK2B




KNOTTY ALDER TWO PANEL DOOR

IN STOCK
 EXTENDED LEAD TIME

LIMITED SERIES

25

MODERN SERIES









8'0"







he Modern Series provides effortless, contemporary door designs. With simple panel details and single patterned glass, this series is full of clean lines and looks that can refresh any home's exterior.

6'8' DMS5H 6

6'8'

DMS1L

.

ALL DOORS ARE SHOWN PRE-FINISHED

DOOR OVERVIEW



MODERN OAK SOUTH BEACH DOOR





8'0"



DMG051



DMG5180








MODERN SMOOTH BIENVENUE DOOR





MODERN SMOOTH MARTINIQUE DOOR

FLUSH GLAZED TWIN LITE











MODERN GLASS CLOSE UP

30

LowE

6'8"

DMS5H

MODERN SMOOTH INFINITY DOOR


• EXTENDED LEAD TIME

MODERN SERIES

31



CRAFTSMAN SERIES



OVOLO PROFILE



SHAKER PROFILE





OVOLO PROFILE CLOSE-UP

he Craftsman Series pulls design inspiration from 19th and 20th-century architecture, featuring flat panels and traditional styles. This series combines modern and classic elements with a selection of ovolo profiles, simple Shaker profiles, and sleek direct glazed options. Grain options in this series are Fir and Smooth.

DOOR OVERVIEW



8'0'













FIR OVOLO CRAFTSMAN

DRF3C SLF3C SLFDC



L000 SOLP SPRP LowE

L000 LowE

CRAFTSMAN SERIES

34



• IN STOCK

L000


LowE

• EXTENDED LEAD TIME

• EXTENDED LEAD TIME ON GLASS







6'8" ACSDF23001 8'0" ACSDF23005 6'8" ACSDF23002 8'0" ACSDF23006

ACSDF23004

ACCESSORIES

FIR OVOLO CRAFTSMAN

DENTIL SHELF

Plastpro's Dentil Shelves are made of lightweight, High-Density Polyurethane (HDP) and will not warp, rot, or crack. HDP is an excellent alternative to traditional wood products.

SIMULATED DIVIDED LIGHTS "SDL" BARS

Plastpro's Simulated Divided Lights (SDL) Kits can be used on the interior and exterior of our doors to elevate and enhance the beauty of an entryway. They create a custom look as light enters the home. This product is easy to install, low-maintenance, and will not rot or absorb moisture.

ACCESSORIES ARE APPLIED BY PLASTPRO DISTRIBUTORS / DEALERS



Craftsman Series • DRF3C • Glass L000 • ACSDF23002 • ACDSFT2704

SMOOTH OVOLO CRAFTSMAN

DIRECT GLAZED

ACCESSORIES











6'8" ACSDW23005 8'0" ACSDW23001 8'0" ACSDW23002

ACSDW23004

6'8"



L000 L000 LowE LowE



CRAFTSMAN SERIES

36

• EXTENDED LEAD TIME IN STOCK

SMOOTH OVOLO CRAFTSMAN

DENTIL SHELF

Plastpro's Dentil Shelves are made of lightweight, High-Density Polyurethane (HDP) and will not warp, rot, or crack. HDP is an excellent alternative to traditional wood products.

SIMULATED DIVIDED LIGHTS "SDL" BARS

Plastpro's Simulated Divided Lights (SDL) Kits can be used on the interior and exterior of our doors to elevate and enhance the beauty of an entryway. They create a custom look as light enters the home. This product is easy to install, lowmaintenance, and will not rot or absorb moisture.

ACCESSORIES ARE APPLIED BY PLASTPRO DISTRIBUTORS / DEALERS

FIR ONE PANEL SHAKER DOOR

SHAKER PROFILE

SHAKER PROFILE

6'8"

FIR THREE PANEL CRAFTSMAN DOOR







SEE PAGE 19 FOR AVAILABLE TEXTURE GLASS STYLES.



FIR TWO PANEL SHAKER DOOR





22"X36"HALFLITE Solution Frame*



BRE2215P/Z Solution Frame

6'8'



SOL2215P Solution Frame





SPR2215P Solution Frame

CRAFTSMAN SERIES

SHAKER PROFILE FIR DIRECT GLAZED CRAFTSMAN





LowE



SHAKER PROFILE

SEE PAGE 19 FOR AVAILABLE TEXTURE GLASS STYLES.





ACDSFT2404

6'8'




ACDSFT2704

DENTIL SHELF

Plastpro's Dentil Shelves are made of lightweight, High-Density Polyurethane (HDP) and will not warp, rot, or crack. HDP is an excellent alternative to traditional wood products.

SIMULATED DIVIDED LIGHTS "SDL" BARS

Plastpro's Simulated Divided Lights (SDL) Kits can be used on the interior and exterior of our doors to elevate and enhance the beauty of an entryway. They create a custom look as light enters the home. This product is easy to install, lowmaintenance, and will not rot or absorb moisture.



22" x 15"

Solution Frame*

FIR **THREE PANEL STACK DOOR**



BRE2215P Solution Frame



SOL2215P Solution Frame



SPR2215P Solution Frame



22" x 15" Solution Frame*

FIR FIVE PANEL STACK DOOR

SMOOTH **ONE PANEL SHAKER DOOR**







5 PANEL



22" x 8" 1 LITE 5 PANEL Solution Frame*



22" x 8" 5 LITE

5 PANEL Solution Frame*

SMOOTH TWO PANEL SHAKER DOOR

6'8'



22" x 36" Half Lite Solution Frame*

CRAFTSMAN SERIES

43

SMOOTH SHAKER PROFILE THREE PANEL CRAFTSMAN DOOR

6'8'

SLS3FL

LowE





44

Solution Frame* Solution Frame*





SPR2215P Solution Frame



DRS3SL

LowF

SHAKER PROFILE



SLS3SL

LowE

6'8'





6'8" ACSDW3568C03L 6'8" ACSDW3568C06L ACSDW356802SL

SMOOTH DIRECT GLAZED CRAFTSMAN




DENTIL SHELF

Plastpro's Dentil Shelves are made of lightweight, High-Density Polyurethane (HDP) and will not warp, rot, or crack. HDP is an excellent alternative to traditional wood products.

SIMULATED DIVIDED LIGHTS "SDL" BARS

Plastpro's Simulated Divided Lights (SDL) Kits can be used on the interior and exterior of our doors to elevate and enhance the beauty of an entryway. They create a custom look as light enters the home. This product is easy to install, low-maintenance, and will not rot or absorb moisture.

SMOOTH **THREE PANEL STACK DOOR**



SHAKER PROFILE

- SEE PAGE 19 FOR AVAILABLE TEXTURE GLASS STYLES.





22" x 8" 1 LITE 5 PANEL Solution Frame*

22" x 8" 2 LITE 5 PANEL Solution Frame*

SMOOTH FIVE PANEL STACK DOOR

RUSTIC SERIES

RUSTIC GRAIN





7'0"

DRATP70

DRA2A80

6

8'0"



DRA2A 👌 🄄

DRA2B

6

DRA4R80

oors in the Rustic Series make use of charming features like vertical planks, distinct panel details, and arched and radius tops for a homey, country appeal. For those who want to up the vintage look, the Rustic Series also includes a line of wrought iron accessories for further customization.

ALL DOORS ARE SHOWN PRE-FINISHED

DOOR OVERVIEW

8'0"





DRA1P



DRA2D 6



6



8'0"



DRA2R80



RUSTIC **TRUE PLANK DOOR**

SQUARE TOP

SQUARE PLANK & SQUARE TOP







8'0"






RUSTIC ONE PANEL DOOR

ARCH PLANK & SQUARE TOP





RUSTIC ONE PANEL DOOR

IN STOCK
 EXTENDED LEAD TIME

RUSTIC SERIES 51

RUSTIC **TWO PANEL DOOR**

6'8"













PCL3R6 (2'6")








CAM344

6'8"

PCL344













RUSTIC TWO PANEL DOOR

IN STOCK
 EXTENDED LEAD TIME



6'8"



DRA2D




ARCH PANEL & SQUARE TOP

RUSTIC TWO PANEL DOOR



PCL344

RUSTIC **TWO PANEL DOOR**



RUSTIC TWO PANEL DOOR

RUSTIC FOUR PANEL DOOR



ACCESSORIES



RUSTIC SERIES ACCESSORIES



ACCSPKYGSB0KIT

ACCSPKY0910KIT

18" Hinge Straps

ACCHGSTP18

View In

6'8"



The Open Speakeasy adds an eclectic, but polished, flair to a Plastpro Rustic Series door. Meanwhile, the Industrial Speakeasy takes you back in time to Prohibition days, with an ornate, grill design that adds extra charm and individuality. The simple, wrought iron bars add a bold, custom detail.

Plastpro's Hinge Straps are a simpler way to style your Rustic Series door. The durable, aluminum material is resistant to rust and discoloration, keeping the bold, black pop of detail intact.



1.5" Square

ACCLP12Q

1.25" Round



DECORATIVE CLAVOS

- Easy to Apply
- Unique Adhesive Formatted for Fiberglass Doors

Plastpro's Clavos add detail and style to one of our Rustic Series Doors. With your choice of Large Square Clavos, Large Round Clavos, Small

Square Clavos, or Small Round Clavos, there are plenty of bold and

subtle options to heighten the rural sentiment and charm of a plank door.

- Masterfully Crafted Premium Metal Alloy
- Tough and Durable Powder Coat Finish



ACCLP12R











ACCLP14Q

DRA1P

DRA1P80 ACCLP14Q

DRA1A80 ACCLP12Q



View Out

View In 6'8" DRA2D

DRA2D ACCSPKY0910KIT DRA2R80 ACCHGSTP18 ACCSPKY0910KIT

ACCSPKYGSB0KIT



1.25" Square



RUSTIC SERIES

SPEAKEASY & HINGE STRAP


FEATURES AND BENEFITS

 Durable Powder Coat Finish • Combats Rust and Discoloration Beautifully Textured • Masterfully Handcrafted



DRA2R80 ACCHGSTP18 ACCSPKYGSB0KIT RUSTIC SERIES ACCESSORIES

MAHOGANY SERIES



63° 63° 63° 63°

MAHOGANY GRAIN



he Mahogany Series brings a beloved, wood texture into traditional, timeless styles. With classic panel designs that can carry all of our decorative glass options, this series radiates beauty and elegance.

ALL DOORS ARE SHOWN PRE-FINISHED

DOOR OVERVIEW



• IN STOCK • EXTENDED LEAD TIME



MAHOGANY THREE PANEL DELUXE DOOR

MAHOGANY FOUR PANEL EYEBROW DOOR









6'8'



BRE3V2P/Z







BREEYEP/Z







CAS3V1P

BREHL2P/Z

BREFL1P/Z

63



MAHOGANY FOUR PANEL BLANK TOP DOOR









6'8"

BREFL7P/Z



(2'6")

KENHL4P KENHL3P (2'6")

6'8"



SOLHL3P (2'6")

6'8"

KENFL5P (2'6")



SPRHL4P











BREHL2P/Z

64



6'8"

CAMFL7 PCLFL7

CAMFL5 (2'6")

6'8"

PCLFL5 (2'6")



ARZFL5Z (2'6")

CASFL7P CASFL5P (2'6")

6'8" KENFL7P

SOLFL7P SOLFL5P (2'6")



6'8'



ARZHL2Z

6'8'

CASHL2P



FOUR PANEL BLANK TOP DOOR





KENHL2P

6'8'



SOLHL2P





SPRHL2P



CAMFL1

6'8'



CASFL1P





KENFL1P




SPRFL1P

6'8

MAHOGANY TRUE FOUR PANEL DOOR



DRM60 SLM60







MAHOGANY SIX PANEL DOOR



SLM6080

DRM6080




PCLFL2

MAHOGANY SERIES

OAK SERIES

OAK GRAIN





6'8'

DRG3P

DRG4180

DRG6170

I (5)



👌 👌 💧 📕 🄄



DRG3080 6

6'8'

DRG49

DRG31

6'8" DRG6B



he rich, grain texture of our Oak Series will deliver a classic look to any home. With many panel designs available, mix and match the Oak Series with our entire glass line to find the right, custom combination. These doors create a look that will never go out of style.

ALL DOORS ARE SHOWN PRE-FINISHED

👌 👌 🏠 20/60/90 MIN FIRE RATED 💥 TRIMMABLE (3'0" ONLY) 📲 10" BOTTOM RAIL 🍙 HVHZ IMPACT (NOT AVAILABLE IN 3'6") 🛛 🛛 IN STOCK 🔍 EXTENDED LEAD TIME

DOOR OVERVIEW







DRG3E







6'8"

DRG6C







DRG41







<u>X</u> ()



OAK FLUSH PANEL DOOR







7'0" 7'0" SOLFL7P SPRFL7P SOLFL5P (2'6")

8'0" CAMFL8 CAMFL6 (2'6")

8'0" 8'0" KENFL8P

SOLFL8P

6'8"

SPRFL7P





CAMFL7

CAMFL5 (2'6")



ARZFL7Z

PCLFL7

PCLFL5 (2'6")



ARZFL5Z (2'6")



ARZFL7Z

ARZFL5Z (2'6")



6'8"

CASFL5P (2'6")

BREFL7P/Z


BREFL5P/Z (2'6")



CASFL7P

CASFL5P (2'6")

KENFL7P KENFL5P (2'6")



SOLFL7P SOLFL5P (2'6")



KENFL7P KENFL5P (2'6")







SPRFL1P & FL2P

OAK FLUSH PANEL DOOR



PCLFL8 PCLFL6 (2'6")



8'0"

ARZFL8Z

8'0'



BREFL8P/Z





CASFL8P



BREFL1P/Z & FL2P/Z

CASFL1P & FL2P









SOLFL1P & FL2P









BRE3V2P





CAS343P

CAS341P

OAK 3/4 HERITAGE DOOR


IN STOCK
 EXTENDED LEAD TIME

OAK 3/4 TWO PANEL DOOR





CAMFL7




8'0"

PCLFL7

8'0"

ARZFL7Z



8'0"

BREFL7P/Z





KEN342P

6'8"



6'8


SOL342P

8'0"

CASFL7P



KENFL7P







8'0"

6'8'

CAMFL1

8'0"

8'0"

SPR341P & FL1P

OAK SERIES

74

SPR342P

3/4 TWO PANEL DOOR

8'0"



BRE341P/Z & FL1P/Z



CAS341 & FL1P

8'0"



KEN341 & FL1

8'0"



SOL341P & FL1P

OAK 3/4 ELITE DOOR





6'8"





BRE3V2P/Z

6'8"







BRE3V2P/Z

CAS3V2P



6'8" BRE3V1P/Z

CAS3V1P

OAK **3/4 PREMIUM DOOR**

IN STOCK
 EXTENDED LEAD TIME

OAK 3/4 PANEL DOOR

















8'0"

CASFL7P



8'0"

8'0"

SPRFL1P


8'0"







8'0"





SOLFL7P

SPRFL7P

KENFL7P

78

OAK SERIES

DRG31

3/4 THREE PANEL DOOR











CASFL1P

OAK THREE PANEL DOOR



OAK FOUR PANEL BLANK TOP DOOR





6'8"

BREHL2P/Z



CASHL2P

6'8"

H

H

KENHL2P



6'8'

SOLHL2P



6'8'

SPRHL2P



















DRG41

6'8" & 7'0"

ARZHL4Z

8'0"

6'8'



BREHL4P/Z

ARZ342Z

6'8" & 7'0"

SLG60

6'8"



6'8" & 7'0"








PCL342

BRE342P/Z

6'8"

ARZHL2Z







CAS342P



8'0"

KENHL4P



6'8" & 7'0"





SOLHL4P



6'8" & 7'0"



IN STOCK



8'0"

SPRHL4P



6'8" & 7'0"



8'0"

- MAY

10

SPR342P

• EXTENDED LEAD TIME







OAK TRUE FOUR PANEL DOOR

TRUE FOUR PANEL DOOR






BREHL2P/Z

& 341P/Z





8'0"



CASHL2P & 341P









6'8"

SPR342P

OAK SERIES 82

OAK 3/4 FOUR PANEL DOOR



BRE342P/Z





CAS342P

6'8"




KEN342P





SOL342P

3/4 FOUR PANEL DOOR







6'8"




DENTIL SHELF

Plastpro's Dentil Shelves are made of lightweight, High-Density Polyurethane (HDP) and will not warp, rot, or crack. HDP is an excellent alternative to traditional wood products.

FEATURES AND BENEFITS

- Recreate Classic Design
- Create Custom Looks
- Affordable

OAK 3/4 FOUR PANEL DOOR



4 Block Dentil Shelf



ACDSGT2704





6'8"

ARZTL1Z

ARZTL5Z (2'6")





OAK SIX PANEL DOOR



8'0"

DRG6080

8'0"



PCLHL6



CASHL6P



SPRHL6P



SPR341P

OAK SERIES

OAK SIX PANEL UTILITY DOOR







8'0"



8'0"

8'0"



BREHL2P/Z

ARZHL2Z

Oak Series • DRG6C

CASHL2P







7'0"







8'0"

ARZ342Z



SPRHL4P



CAS342P

ARZHL4Z



BREHL4P/Z

KENHL4P

SOLHL4P

7'0"

BRE342P/Z

SIX PANEL UTILITY DOOR



KENHL2P



SOLHL2P

SPRHL2P





OAK TRUE SIX PANEL NARROW DOOR



8'0"



6'8"

ARZHL2Z





6'8"



6'8"

THE P

KENHL2P



6'8"



6'8"

SPRHL4P



CAM8C2



PCL8C2

6'8'

SLG80



6'8"

ARZ8C2Z

ARZ8C2Z






6'8"





OAK SERIES





OAK EIGHT PANEL DOOR





BRE8C3P/Z



CAS8C3P



BRE8C2P/Z

BRE8C2P/Z

OAK SERIES

OAK NINE PANEL DOOR





BRE9P1P/Z





ARZ341Z

CAS341P

OAK NINE PANEL DOOR



KEN341P



SOL341P





SPR341P

SMOOTH SERIES















ALL DOORS ARE SHOWN PRE-FINISHED

be painted for extra personality.

ur Smooth Series doors are made with a

pre-pigmented, white skin; its simplicity

gives a modern design and feel to any

home. Our smooth skin, incorporated with a

variety of panel designs and glass options, will give a clean, minimal look to any home or can



DRS2280

0

DOOR OVERVIEW



6'8"



6'8"

DRS22

0

6'8"





















DRS4180

DOOR OVERVIEW





6'8"





6'8"

DRS80














DRS6080


6

8'0"



SMOOTH FLUSH PANEL DOOR





7'0"







PCLFL7


PCLFL5 (2'6")



BREFL5P/Z (2'6")

ARZFL7Z

ARZFL5Z (2'6")



CASFL5P (2'6")

BREFL7P/Z

BREFL5P/Z (2'6")

6'8"



6'8"

KENFL7P KENFL5P (2'6")

7'0"

CASFL7P

CASFL5P (2'6")



SOLFL7P

SOLFL5P (2'6")

KENFL7P


















CAMFL8 CAMFL6 (2'6")

98

CAMFL7

CAMFL5 (2'6")

SPRFL7P





SMOOTH FLUSH PANEL DOOR



PCLFL8 PCLFL6 (2'6")



ARZFL8Z

8'0"



BREFL8P



8'0"

CASFL8P



BREFL1P/Z & FL2P/Z

CASFL1P & FL2P



KENFLP1 & FL2P



SOLFL1P & FL2P

SMOOTH TWO PANEL DOOR









8'0"

CAS342P



8'0"

KEN342P



SQUARE PANEL & SQUARE TOP



SPRHL4P



ARZHL2Z & FL1Z ARZ341Z & FL2Z BREHL2P/Z & FL1P/Z ARZ341P/Z & FL2P/Z CASHL2P & FL1P CAS341P & FL2P





SMOOTH TWO PANEL DOOR



KENHL2P & FL1P KEN341P & FL2P



SOLHL2P & FL1P SOL341P & FL2P



SPRHL2P & FL1P SPR341P & FL2P

SMOOTH **TWO PANEL DOOR**



SQUARE PANEL & ARCH TOP








SLS4180

KENHL4P

CAS342P

8'0"

8'0"





BRE342P



8'0"


KEN342P








SOL342P



SPR342P

CAM342



ARZ342Z

PCL342

SMOOTH TWO PANEL DOOR



KENHL2P & FL1P KEN341P



SOLHL2P & FL1P SOL341P



SPRHL2P & FL1P SPR341P

SMOOTH **SQUARE PANEL & ARCH TOP COTTAGE TWO PANEL DOOR**











BRE342P/Z

KENHL4P

CAS342P

8'0"



8'0"

KEN342P

SLS4180

8'0"



CAM342







SOL342P



SPR342P



ARZ342Z

PCL342

SMOOTH COTTAGE TWO PANEL DOOR




SOLHL2P & FL1P SOL341P




SPRHL2P & FL1P SPR341P

SMOOTH 3/4 HERITAGE DOOR







CAS3V2P

6'8"

するの次令

CAS341P



6'8"



BRE3V2P/Z

6'8"

BRE341P/Z





7'0"



BREHL4P/Z

7'0"



CASHL4P

7'0"







BREHL4P/Z CASHL4P KENHL4P

SOLHL4P



7'0"

KENHL4P



SOLHL4P

SPRHL4P



8'0"

CAM342

IN STOCK







SMOOTH TWO PANEL DOOR

SMOOTH SERIES

107

8'0"

PCL342

• EXTENDED LEAD TIME

ARZHL4Z





SMOOTH TWO PANEL DOOR





8'0" 6'8" 6'8" 3'0" . 2'10" 2'10" DRS29 SLS3E DRS2980







SPR342P

. Ņ

6'8"

CAM342

6'8"

PCLFL7



BRE342P/Z



ARZFL7Z



BREFL7P/Z

8'0"

CAS342P







8'0"







SMOOTH 3/4 TWO PANEL DOOR



8'0"

SMOOTH SERIES 109

CASFL7P

KENFL7P

3/4 TWO PANEL DOOR



SOLFL7P





6'8' The second

SPR341P SPRFL1P



CAS3V2P



6'8"

BRE3V2P/Z

6'8"

CAS343P













BRE341P/Z

CAS341P




SMOOTH 3/4 ELITE DOOR

IN STOCK

SMOOTH 3/4 PREMIUM DOOR













8'0"

SOLFL7P



CAMFL7

8'0"

Ņ -----

SPRFL7P

SMOOTH SERIES 112

SMOOTH 3/4 PANEL DOOR



PCLFL7



ARZFL7Z

8'0"




BREFL7P





CASFL7P

3/4 THREE PANEL DOOR





SPRFL1P

8'0"

SMOOTH THREE PANEL DOOR

6'8"

3'0" DRS31

CASHR1P

BREHL4P/Z



ARZHL4Z

ARZHL3Z (2'6")

KENHL2P





SOLHL2P



SPRHL2P

IN STOCK


CASHL4P CASHL3P (2'6")





KENHL4P KENHL3P (2'6")





SOLHL4P SOLHL3P (2'6")





SPRHL4P

• EXTENDED LEAD TIME



SMOOTH FOUR PANEL BLANK TOP DOOR

SMOOTH SERIES

115

SMOOTH TRUE FOUR PANEL DOOR





KENHL4P

SOLHL4P











KENHL4P



SPRHL4P



8'0"

CAM342

ARZHL4Z







CASHL4P

BREHL4P/Z

TRUE FOUR PANEL DOOR



SPR342P

8'0"

KENHL2P & 341P



SOLHL2P& 341P




SPRHL2P & 341P

SMOOTH SERIES

117

SMOOTH 3/4 FOUR PANEL DOOR

SMOOTH SIX PANEL CRAFTSMAN DOOR



SPR342P

ARZ341Z

BRE341P/Z

CAS341P

KEN341P

SPR341P

SOL341P

SMOOTH SERIES 119

SMOOTH SIX PANEL DOOR







6'8"

ARZFL1Z



SPRFL1P



(2'6")

PCLHL6

PCL346

CAMHL6

CAM346

CAS341P



8'0"



8'0"



SPR341P



ARZHL4Z CASHL4P BREHL4P



CASHL4P



BREHL4P/Z

KENHL4P

KENHL4P

SMOOTH SERIES


SMOOTH SIX PANEL UTILITY DOOR



















SPRHL4P













ARZ342Z



SPRHL4P

BRE342P/Z

• EXTENDED LEAD TIME



SMOOTH SERIES

121

• IN STOCK

8'0"

8'0"



SIX PANEL UTILITY DOOR

SMOOTH TRUE SIX PANEL NARROW DOOR







ARZHL2Z





BREHL2P/Z

CASHL2P



SOLHL2P

SPRHL2P



KENHL2P







SOLHL4P









• EXTENDED LEAD TIME

KENHL2P

SOLHL2P

SPRHL2


• IN STOCK

SPRHL4P

SMOOTH EIGHT PANEL DOOR







6'8"

6'8"

PCL8C2

PCL8C1

ARZ8C2Z BRE8C2P/Z

6'8"





BRE8C2P/Z





SMOOTH NINE PANEL DOOR

WHITE OAK SERIES








6'8"

WHITE OAK GRAIN

he White Oak Series combines the best features of our Smooth and Oak Doors. Any home can enjoy a rich, oak texture in a pre-pigmented, white skin. With many decorative glass options to choose from, create a look that is both timeless and modern.

ALL DOORS ARE SHOWN PRE-FINISHED



DOOR OVERVIEW



O 20 MIN FIRE RATED ● IN STOCK ● EXTENDED LEAD TIME

WHITE OAK **FLUSH PANEL DOOR**









6'8"



6'8"




CASFL5P (2'6")

6'8"



SOLFL7P SOLFL5P (2'6") KENFL5P (2'6")











128

6'8"

and the second

SPRFL7P

WHITE OAK FLUSH PANEL DOOR



BREFL1P/Z



CASFL1P



KENFL1P



WHITE OAK FOUR PANEL BLANK TOP DOOR



GLASS OPTIONS



 6'8'
 6'8'
 6'8'
 6'8'
 6'8'
 6'8'
 6'8'

 Image: I



WHITE OAK TRUE FOUR PANEL DOOR



6'8'

ARZHL4Z

6'8" 6'8" DRV60 SLV60 DRW6080

6'8' 6'8"



BREHL4P/Z



CASHL4P

6'8"




6'8"





6'8"





KENHL4P



WHITE OAK **SIX PANEL DOOR**



8'0"

8'0"

8'0"



CASHL6P



8'0"

SPRHL6P

133

WHITE OAK SIX PANEL UTILITY DOOR

WHITE OAK TRUE SIX PANEL NARROW DOOR



DRV63 SLV60

6'8"

ARZHL4Z

6'8'

ARZHL2Z

6'8'

BREHL2P/Z



CASHL2P





6'8"



ARZHL4Z



6'8"






KENHL2P





BREHL4P/Z



KENHL4P



6'8"

SOLHL4P







SPRHL4P

6'8'

6'8"





WHITE OAK SERIES

11-11-11

KENHL2P

SOLHL2P

SPRHL2F

ONELITE SERIES











SMOOTH FINISH

o maximize natural light without hassle, our Onelite Series features a fine, flush glazed glass with a removable stop to allow the glass to be switched without changing the entire door. These doors are available with beautiful and energy-efficient low-emissivity glass.

DOOR OVERVIEW

This model complies with ADA standards and can accommodate ADA required hardware for easy operation. Reinforced blocking and closures allow the following flexible hardware to be installed: panic bars, reinforced arm closures, and exit rim devices. These devices are easy to grasp with one hand and don't require tight grasping or twisting to operate.

ONELITE COMMERCIAL ADA DOOR

ONELITE FLUSH GLAZED FULL LITE DOOR





1 REINFORCED STILES For Panic Bar hardware and Exit Rim devices. 2 6.5" TOP RAIL Accommodates regular and parallel arm closures 3 5.5" FACE STILES Accommodates all types of commercial hardware (including 2-3/4" backset 161 prep and mortise locks). **4** BOTTOM RAIL TO ACCOMODATE 10" KICK PLATE To protect your door and enhance accessibility, this 10.50" bottom rail allows the installation of a kick plate, up to 10" tall. **5** REMOVABLE GLASS STOP Switch the glass as needed without changing the entire door.



LowE



ONELITE FLUSH GLAZED HALF LITE DOOR






IN STOCK
 EXTENDED LEAD TIME

OAK GRAIN & SMOOTH FINISH



NOVA SERIES

NOVA 45 SMOOTH FINISH & FIR GRAIN





FIR GRAIN

SMOOTH FINISH

BRUSHED SMOOTH FINISH

he Nova Series features glass that is directly glazed into the door to create a seamless blend between the glass and door. The large glass pane allows the most scenery and natural light into your home. This generous portion of glass is available in two models: the 45 with a traditional, Craftsman sticking, in a Smooth or Fir skin, and the 90 with a modern, Shaker sticking and Brushed Smooth finish.

NOVA 90 BRUSHED SMOOTH FINISH



DOOR OVERVIEW



NOVA SERIES Ī 143

NOVA 45 FULL LITE DIRECT GLAZED

SMOOTH & FIR GRAIN





LowE 272/Impact LowE 366



LowE 272/Impact LowE 366





NOVA 45


NOVA SERIES

145

NOVA 45 FEATURES AND BENEFITS

- 1 COMPOSITE STILE CAP
- 2 FULL-LENGTH LVL (Hinge & Strike side, for extra rigidity)
- 3 INSULATED ¾" GLASS (LowE 272, Impact LowE 366)
- **4** COMPRESSION MOLDED FIBERGLASS SKIN
- **5** LEAK PROTECTION GLAZING TAPE
- **6** INTEGRALLY MOLDED GLASS STOP
- 7 HIGH INSULATION RIGID FOAM
- **8** ADA COMPLIANT BOTTOM RAIL
- **O** COMPOSITE BOTTOM RAIL


NOVA 45 SDL KITS





FEATURES AND BENEFITS


- **1** Available in Smooth and Fir Grain finish.
- **2** Notched cutout pattern for perfect alignment.
- ³ Matching Nova 45 style profile.

- 3M adhesive back for easy installation.
- Made from composite material, will not rot.
- Features a 1.125"(w) x 0.295"(h) modern trapezoidal profile.










Plastpro's Simulated Divided Lights (SDL) Kits can be used on the interior and exterior of our doors to elevate and enhance the beauty of an entryway. They create a custom look as light enters the home. This product is easy to install, low-maintenance, and will not rot or absorb moisture.







8'0"



ACSDW1D80-12L26

ACSDF1D80-12L34



10 LITE 2X5

ACSDF1D80-10

8'0"

ACSDW1D80-12L34

NOVA 45 SDL KIT CONFIGURATIONS



15 LITE 3X5 ACSDF1D68-15





15 LITE 3X5 W/1D68 151



15 LITE 3X5 ACSDF1D80-15

8'0"



15 LITE 3X5 ACSDW1D80-15L



9 LITE ACSDF1D68-9LQ

6'8"



9 LITE ACSDW1D68-9LQ



18 LITE 3X6 ACSDF1D80-18

8'0"



18 LITE 3X6 ACSDW1D80-18



9 LITE ACSDF1D80-9LQ

8'0"



9 LITE ACSDW1D80-9LQ






NOVA 90 FULL LITE DIRECT GLAZED

BRUSHED SMOOTH FINISH





IN STOCK • EXTENDED LEAD TIME












HVHZ IMPACT AVAILABLE





6



NOVA 90

NOVA SERIES

149

NOVA 90 FEATURES AND BENEFITS

- **1** COMPOSITE STILE CAP
- **2 FULL-LENGTH LVL** (Hinge & Strike side, for extra rigidity)
- **3 WOOD BLOCKING** (For structural support)
- **STEEL BEAM** (Hinge & Strike side, for extra rigidity)
- **INSULATED 1" GLASS**
- **O** COMPRESSION MOLDED FIBERGLASS SKIN
- **O** BRUSHED FINISHED TEXTURE
- **INTEGRALLY MOLDED GLASS STOP**
- HIGH-DENSITY POLYURETHANE FOAM 9
- ADA COMPLIANT BOTTOM RAIL 10
- **10** COMPOSITE BOTTOM RAIL

NOVA 90 DIRECT GLAZED 3/4 LITE



STOCK VARIES BASED ON GLASS SELECTION, PLEASE CONTACT FOR AVAILABILITY



• IN STOCK • EXTENDED LEAD TIME

GLASS OPTION













SLS1EL

NOVA 90

NOVA 90 FEATURES AND BENEFITS

- **O** COMPOSITE STILE CAP
- 2 FULL-LENGTH LVL (Hinge & Strike side, for extra rigidity)
- **3 WOOD BLOCKING** (For structural support)
- **STEEL BEAM** (Hinge & Strike side, for extra rigidity)
- **INSULATED 1" GLASS**
- **6** COMPRESSION MOLDED FIBERGLASS SKIN
- **9** BRUSHED FINISHED TEXTURE
- **3** INTEGRALLY MOLDED GLASS STOP
- **O** HIGH-DENSITY POLYURETHANE FOAM
- O ADA COMPLIANT BOTTOM RAIL
- **10** COMPOSITE BOTTOM RAIL

STAINING GUIDES

WOOD GRAIN

WOOD GRAIN

MATERIALS NEEDED

PLASTPRO'S PRE-FINISHED KITS OR

A. Pre-Mixed Stain (1/2 pint) B. Mineral Spirits (4 fl. oz.) C. Top Coat/Sealer (20 fl. oz.) D. Two Clean Cloths E. One Pair Protective Glove

PAINTING INSTRUCTIONS FOR OAK GRAIN DOORS



STEP 1: SURFACE PREPARATION

1. Lay door horizontally on saw horses or a table.

2. Remove all the hardware and mask off anything you don't want stained, such as the glass insert.

F. 3" China Bristle Brush

G. Two Stir Sticks

H.Two Skin Samples

I. Finishing Instruction

- 3. DO NOT SAND GRAINED FIBERGLASS / PF™ DOOR FRAMES
- 4. Wipe the Door / PF™ Door Frame with mineral spirits to clean any dust or residue from the surface. Allow door surface to dry completely before applying stain.



STEP 2: STAIN APPLICATION

- 1. Starting at the center of the Door / PF™ Door Frame, stain one to two panels at a time. Apply stain with a 3" to 4" soft bristle brush, or rag. Apply enough stain to fill the Door / PF™ Door Frame grain.
- 2. With a clean, lint free 24" x 24" cloth, softly wipe the surface until you reach your desired tone.

TIP: When the rag becomes saturated with stain, refold to work with a less saturated section. Be sure to use the same rag for the whole Door / PF[™] Door Frame.

- 3. After all stain is brushed evenly, you may ad finishing touches by using a small 1" to 2" brush or cotton swabs.
- 4. (If desired) Allow the Door / PF™ Door Frame to dry for at least 48 hours before applying another coat. Then, repeat above process.



STEP 3: PROTECTIVE TOP COAT

Application of polyurethane top coat with UV inhibitors like ZAR™ Exterior polyurethane, Wood Kote® Flagship UV, or Minwax® Fast Drying Polyurethane for exterior applications.

- 1. After stain has completely dried (48 hours) mix the top coat well and apply evenly using a clean, dry 2" soft bristle brush or 3" foam brush. Be sure to stop when the grain changes direction.
- 2. Apply two or three coats of finish, allowing at least 24 hours of drying time between each application.

IMPORTANT NOTE

- It is considered normal maintenance to re-apply the topcoat approximately every two years. Even a well-finished fiberglass door will be affected by exposure and weathering from sun, moisture, and air pollutants.
- Staining instructions are for Oil-Based, Premium Quality Wood Stains or similar product designed for use on a fiberglass surface. Please note the instructions indicated are specific to the Zar brand stain included in our stain kit. Please reference stain manufacturer's instructions before applying any stain

MATERIALS NEEDED

A. Lint-free cloth **B.** Mineral Spirits C. Rubber gloves D. Masking tape

PAINTING INSTRUCTIONS FOR OAK GRAIN DOORS

STEP 1: SURFACE PREPARATION

- 1. Lay door horizontally on saw horses or a table.
- 2. Remove all the hardware and mask off anything you don't want painted, such as the glass
- insert
- 3. DO NOT SAND GRAINED FIBERGLASS.
- 4. Wipe the door with mineral spirits to clean any dust or residue from the surface. Allow door surface to dry completely before applying stain paint. Do not use hydro-carbon based solvents to clean the surface as such products may leave a residue.
- 5. Apply primer with a 4" brush beginning with the panels. Follow the manufacturer's instructions for drying time before applying topcoat. Continue to apply the primer to ALL 6 sides. Doors which have been bored and mortised for hardware should be primed inside of the lock bore as well.
- 6. The primer must be completely dry before applying the topcoat.

STEP 2: PAINTING

- 1. Apply exterior grade paint with a 4" brush beginning with the panels.
- 2. It is common practice to paint both stiles the same color as the exterior side of the door. If applying a second coat, follow the manufacturer's instructions for drying time between coats.
- 3. Continue to apply the top coat to ALL 6 sides of the door which have been bored and mortised for hardware-should be finished inside of the lock bore as well.

CAUTION

- 1. When using stains, mineral spirits, paints, or other hazardous materials, always read and follow the manufacturer's instructions. Plastpro, Inc. makes no representations as to the proper use of other manufacturers' products.
- 2. When working with paints or solvents, make sure the working area is well ventilated.
- 3. Keep away from heat and flame as materials may be combustible.
- 4. Paints or solvents may cause skin and eye irritation. Avoid contact with skin and eyes.
- 5. Keep out of reach of children.

IMPORTANT NOTE:

fiberglass door will be affected by exposure and weathering from sun, moisture, and air pollutants.





PAINTING GUIDES

- E. 4["] Bristle Brush
- F. For water-based application: acrylic-based primer*/ acrylic latex-based exterior grade paint.

We recommend using Sherwin-Williams PrepRite® Bonding Primer with compatible acrylic-latex paint for optimal paint adhesion.

• It is considered normal maintenance to re-apply the topcoat approximately every two years. Even a well-finished

SMOOTH SKIN

TESTING RESULTS

MATERIALS NEI	DED		
			ASTM D1761
A. Lint-free Cloth B. Mineral Spirits		4" Bristle Brush	NWWDA TM-7
C. Rubber Gloves		For water-based application: acrylic-based primer* / acrylic latex-based exterior grade paint.	
D. Masking Tape		Scotch Brite Pad (Fine) or 320-400 grit sandpaper [•] Smooth Doors Only)	NWWDA TM-8
We recommend using S	herwin-Williams PrepRite® Bonding Primer with compati	ble acrylic-latex paint for optimal paint adhesion.	ASTM E 283
PAINTING INSTRUCTIONS FOR DOORS & PF™ DOOR FRAMES			ASTM E 331 / E 547
	STEP 1: SURFACE PREPARATION		ASTM E 330
	1. Lay door horizontally on saw horses or a table.		ASTM E1886 / E1996
	Remove all the hardware and mask off anything you don't want painted, such as the glass insert.		
	3. Smooth Doors only. Lightly scuff/sand the surface with a Scotch Brite pad or fine sand paper.		AAMA 1304
	DO NOT SAND GRAINED FIBERGLASS.		TAS 201
	4. Wipe the door with mineral spirits to clean any dust or residue from the surface. Allow acetone		
	to dry from the surface before applying.	o clean the surface as such products may leave a	TAS 202
	residue.	o clean the surface as such products may leave a	TAS 203
	6. Apply primer with a 4" brush beginning with the panels. Follow the manufacturer's instructions for drying time before applying topcoat. Continue to apply the primer to ALL 6 sides. Doors / PF™ Door Frames which have been bored and mortised, or machined for hardware should be		
	primed inside of the lock bore, or prepped	l area as well.	ASTEM E90 / STC / OITC
	7. The primer must be completely dry before	applying the topcoat.	ASTEM E707 STC7 Offic
	_		ULC 10 C / NFPA 252 / ASTM E 2074
	STEP 2: PAINTING		CDPH / EHLB METHOD V1.1 2010
	1. Apply exterior grade paint with a 4" brush		CDPH / EHLB METHOD VI.I 2010
		stiles, or both PF™ Door Frame sides, the same plying a second coat, follow the manufacturer's	JIS Z 2801:2001
	 Continue to apply the top coat to ALL 6 sides of t mortised for hardware- should be finished inside c 	des of the door which have been bored and	ASTM D1413-07
	mortised for hardware- should be inished	ned inside of the lock bore as well.	CSFM 12-7A-1
CAUTION			AAMA 1702
 When using stains, mineral spirits, paints, or other hazardous materials, always read and follow the manufacturer's instructions. Plastpro Inc. makes no representations as to the proper use of other manufacturers' products. 			AAMA 920
2. When working with paints or solvents, make sure the working area is well ventilated.			AAMA / WDMA / CSA 101 / I.S./A440 (NAFS)
3. Keep away from h	eat and flame as materials may be combustible.		
I. Paints or solvents	may cause skin and eye irritation. Avoid contact w	ith skin and eyes.	
5. Keep out of reach of children.			The PLASTPRO DOOR met requirements for sawing,

IMPORTANT TO NOTE


• It is considered normal maintenance to re-apply the topcoat approximately every two years. Even a well-finished fiberglass door will be affected by exposure and weathering from sun, moisture, and air pollutants.

Screw holding capacity. Cycle slam test. Hinge load resistance test. Air infiltration. Water resistant. Uniform structural load. Impact / cycle test. Forced entry resistance test. Impact test. Air / water / structural test. Wind pressure cycle test. Energy efficiency. Sound transmission. Fire rated. Volatile organic chemical emission test. Antimicrobial products test. Antifungal wood plastic composite test. Exterior wildfire exposure test. Exterior door test for manufactured housing. Operating cycle test. North America fenestration test.

The PLASTPRO DOOR met requirements for sawing, planing, routing, boring, drilling and chiseling. For more specific results, please see our website at www.plastproinc.com or contact our Customer Service Department at 1 (800) 779-0561.

WARNING: These products may include styrene, titanium dioxide, and wood dust, which are known to the State of California to cause cancer. For

NOTES











© 2022 Plastpro Inc. All Rights Reserved Product # MKLFLB2022 Updated Jan 2022